

1. American Cancer Society. Cancer Facts & Figures 2016. Atlanta, Ga: American Cancer Society; 2016.
2. Appelbaum FR. Chapter 98: Acute leukemias in adults. In: Niederhuber JE, Armitage JO, Dorshow JH, Kastan MB, Tepper JE, eds. *Abeloff's Clinical Oncology*. 5th ed. Philadelphia, Pa: Elsevier; 2014.
3. Attar EC, Johnson JL, Amrein PC, et al. Bortezomib added to daunorubicin and cytarabine during induction therapy and to intermediate-dose cytarabine for consolidation in patients with previously untreated acute myeloid leukemia age 60 to 75 years: CALGB (Alliance) study 10502. *J Clin Oncol*. 2013;31:923-929.
4. Burnett AK, Russell NH, Hills RK, et al. Addition of gemtuzumab ozogamicin to induction chemotherapy improves survival in older patients with acute myeloid leukemia. *J Clin Oncol*. 2012;30:3924-3931.
5. Cashen AF, Schiller GJ, O'Donnell MR, DiPersio JF. Multicenter, phase II study of decitabine for the first-line treatment of older patients with acute myeloid leukemia. *J Clin Oncol*. 2010;28:556-561.
6. Estey EH, Kantarjian HM. Therapy for acute myeloid leukemia. In: Hoffman R, Benz EJ, Shattil SJ, Furie B, Cohen HJ, Silberstein LE, McGlave P, eds. *Hematology: Basic Principles and Practice*. 4th ed. Philadelphia, Pa: Elsevier; 2005:1099-1120.
7. Fenaux P, Mufti GJ, Hellström-Lindberg E, et al. Azacitidine prolongs overall survival compared with conventional care regimens in elderly patients with low bone marrow blast count acute myeloid leukemia. *J Clin Oncol*. 2010;28:562-569.
8. Ferrara F, Schiffer CA. Acute myeloid leukaemia in adults. *Lancet*. 2013;381:484-495.
9. Gore SD, Gojo I, Sekeres MA, et al. Single cycle of arsenic trioxide-based consolidation chemotherapy spares anthracycline exposure in the primary management of acute promyelocytic leukemia. *J Clin Oncol*. 2010;28:1047-1053.
10. Howlader N, Noone AM, Krapcho M, et al (eds). SEER Cancer Statistics Review, 1975-2011, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2011/, based on November 2013 SEER data submission, posted to the SEER web site, April 2014.
11. Kantarjian HM, Erba HP, Claxton D, et al. Phase II study of clofarabine monotherapy in previously untreated older adults with acute myeloid leukemia and unfavorable prognostic factors. *J Clin Oncol*. 2010;28:549-555.
12. Kantarjian H, Faderl S, Garcia-Manero G, et al. Oral sapacitabine for the treatment of acute myeloid leukaemia in elderly patients: A randomised phase 2 study. *Lancet Oncol*. 2012;13:1096-1104.
13. Kebriaei P, Champlin R, de Lima M, Estey E. Management of acute leukemias. In: DeVita VT, Lawrence TS, Rosenberg SA, eds. *DeVita, Hellman, and Rosenberg's Cancer: Principles and Practice of Oncology*. 9th ed. Philadelphia, Pa: Lippincott Williams & Wilkins; 2011:1928-1954.
14. Klepin HD, Balducci L. Acute myelogenous leukemia in older adults. *Oncologist*. 2009;14:222-232.
15. Larkin K, Blum W. Novel therapies in AML: Reason for hope or just hype? 2014 ASCO Educational Book. 2014:e341-e351.
16. Lo-Coco F, Avvisati G, Vignetti M, et al. Retinoic acid and arsenic trioxide for acute promyelocytic leukemia. *N Engl J Med*. 2013;369:111-121.
17. Miller KB, Daoust PR. Clinical manifestations of acute myeloid leukemia. In: Hoffman R, Benz EJ, Shattil SJ, Furie B, Cohen HJ, Silberstein LE, McGlave P, eds. *Hematology: Basic Principles and Practice*. 4th ed. Philadelphia, Pa: Elsevier; 2005:1071-1098.

18. National Comprehensive Cancer Network. NCCN Practice Guidelines in Oncology: Acute Myeloid Leukemia. V.2.2014. Accessed at www.nccn.org/professionals/physician_gls/pdf/aml.pdf on October 30, 2014.
 19. National Cancer Institute. Physician Data Query (PDQ). Adult Acute Myeloid Leukemia Treatment. 2014. Accessed at www.cancer.gov/cancertopics/pdq/treatment/adultAML/healthprofessional on October 30, 2014.
 20. National Toxicology Program. Final Report on Carcinogens Background Document for Formaldehyde. Rep Carcinog Backgr Doc. 2010 Jan;(10-5981):i-512.
 21. O'Donnell MR. Acute leukemias. In: Pazdur R, Wagman LD, Camphausen KA, Hoskins WJ, eds. Cancer Management: A Multidisciplinary Approach. 11th ed. Lawrence, KS: CMPMedica; 2008:797-826.
 22. Schiller GJ, O'Brien SM, Pigneux A, et al. Single-agent larmustine, a novel alkylating agent, has significant activity in older patients with previously untreated poor-risk acute myeloid leukemia. *J Clin Oncol*. 2010;28:815-821.
 23. Travis LB, Bhatia S, Allan JM, Oeffinger KC, Ng A. Second Primary Cancers. In: DeVita VT, Lawrence TS, Rosenberg SA, eds. DeVita, Hellman, and Rosenberg's Cancer: Principles and Practice of Oncology. 9th ed. Philadelphia, Pa: Lippincott Williams & Wilkins; 2011: 2393-2410.
 24. Van Tendeloo VF, Van de Velde A, Van Driessche A, et al. Induction of complete and molecular remissions in acute myeloid leukemia by Wilms' tumor 1 antigen-targeted dendritic cell vaccination. *Proc Natl Acad Sci U S A*. 2010;107:13824-13829.
 25. Vardiman JW, Thiele J, Arber DA, et al. The 2008 revision of the World Health Organization (WHO) classification of myeloid neoplasms and acute leukemia: Rationale and important changes. *Blood*. 2009;114:937-951
 26. Richardson DB, Temporal Variation in the Association between Benzene and Leukemia Mortality, *Environmental Health Perspectives* V116 N3, March 2008
 27. LaDou J et al. Occupational and environmental Medicine, Current 5th Edition, Lange 2014
1. National Cancer Institute-Bladder Cancer <http://seer.cancer.gov/statfacts/html/urinb.html>
 2. International Agency for Research on Cancer. List of Classifications by cancer sites with sufficient or limited evidence in humans, Volumes 1 to 105*. Available from: [http://monographs.iarc.fr/ENG/Classification/index.php\(link is external\)](http://monographs.iarc.fr/ENG/Classification/index.php(link). Accessed August 2014.
 3. Rebecca L. Siegel, MPH1; Eric J. Jacobs, PhD2; Christina C. Newton, MSPH2; Diane Feskanich, ScD3; Neal D. Freedman, PhD4; Ross L. Prentice, PhD5; Ahmedin Jemal, DVM, PhD1, Deaths Due to Cigarette Smoking for 12 Smoking-Related Cancers in the United States;, *JAMA Intern Med*. Published online June 15, 2015.
 4. Burger M, Catto JWF, Dalbagni G, Grossman HB, Herr H, Karakiewicz P, et al. 2013. Epidemiology and risk factors of urothelial bladder cancer. *Eur Urol* 63:234–241.
 5. Freedman ND, Silverman DT, Hollenbeck AR, Schatzkin A, Abnet CC, Association between smoking and risk of bladder cancer among men and women, , *JAMA*. 2011; 306(7):737.
 6. UpToDate: Epidemiology and etiology of urothelial (transitional cell) carcinoma of the bladder. Mar 2015
 7. Brennan P, et al., Cigarette smoking and bladder cancer in men: a pooled analysis of 11 case-control studies. *Int J Cancer*. 2000 Apr 15;86(2):289-94.
 8. Garcia-Closas M, et al., Common Genetic Polymorphisms Modify the Effect of Smoking on Absolute Risk of Bladder Cancer *Cancer Res*; 73(7); 2211-20
 9. Pitard, et al. Cigar, pipe, and cigarette smoking and bladder cancer risk in European men. *Cancer Causes and Control* 12: 551-556. 2001.

10. Sean C. Skeldon, S. Larry Goldenberg Urological complications of illicit drug use, , Nature Reviews Urology 11, 169–177 (2014).
11. Frank C, Fallah M, Ji J, et al. The population impact of familial cancer, a major cause of cancer. *Int J Cancer*. 2014 Apr 15;134(8):1899-906.
12. Ozbek E, Otunctemur A, Dursun M, Koklu I, Sahin S, Besiroglu H, Erkok M, Danis E, Bozkurt M. Association between the metabolic syndrome and high tumor grade and stage of primary urothelial cell carcinoma of the bladder. *Asian Pac J Cancer Prev*. 2014;15(3):1447-51.
13. Chu KF, Rotker K, Ellsworth P. The impact of obesity on benign and malignant urologic conditions. *Postgrad Med*. 2013 Jul;125(4):53-69.
14. Esposito K1, Chiodini P, Colao A, Lenzi A, Giugliano D. Metabolic syndrome and risk of cancer: a systematic review and meta-analysis. *Diabetes Care*. 2012 Nov;35(11):2402-11.
15. Häggström C1, Stocks T, Rapp K, Bjørge T, Lindkvist B, Concin H, Engeland A, Manjer J, Ulmer H, Selmer R, Tretli S, Hallmans G, Jonsson H, Stattin P. Metabolic syndrome and risk of bladder cancer: prospective cohort study in the metabolic syndrome and cancer project (Me-Can). *Int J Cancer*. 2011 Apr 15;128(8):1890-8.
16. Sun J-W, Zhao L-G, Yang Y, Ma X, Wang Y-Y, Xiang Y-B (2015) Obesity and Risk of Bladder Cancer: A Dose-Response Meta-Analysis of 15 Cohort Studies. *PLoS ONE* 10(3)
17. Fang H, Yao B, Yan Y, et al. Diabetes mellitus increases the risk of bladder cancer: an updated meta-analysis of observational studies. *Diabetes Technol Ther* 2013;15(11):914-22.
18. Wyszynski A1, Tanyos SA, Rees JR, Marsit CJ, Kelsey KT, Schned AR, Pendleton EM, Celaya MO, Zens MS, Karagas MR, Andrew AS. Cancer. Epub 2013 Oct 10. Body mass and smoking are modifiable risk factors for recurrent bladder cancer. 2014 Feb 1;120(3):408-14.
19. Zhu Z, Wang X, Shen Z, Lu Y, Zhong S, Xu C. Risk of bladder cancer in patients with diabetes mellitus: an updated meta-analysis of 36 observational studies. *BMC Cancer* 2013;13:310.
20. Xu X, Wu J, Mao Y, et al. Diabetes mellitus and risk of bladder cancer: a meta-analysis of cohort studies. *PLoS One* 2013;8(3):e58079.
21. Zhu Z, Zhang X, Shen Z, et al. Diabetes mellitus and risk of bladder cancer: a meta-analysis of cohort studies. *PLoS One* 2013;8(2):e56662.
22. M. Ferwana^{1,2}, B. Firwana^{1,3,4}, R. Hasan^{1,3,4}, M. H. Al-Mallah^{1,5}, S. Kim^{4,6}, V. M. Montori^{4,7} and M. H. Murad^{4,8}, Review Article Pioglitazone and risk of bladder cancer: a meta-analysis of controlled studies, *Diabet. Med.* 30, 1026–1032 (2013)
23. Bosetti C, Rosato V, Buniato D, et al. Cancer risk for patients using thiazolidinediones for type 2 diabetes: a meta-analysis(link is external). *Oncologist* 2013;18(2):148-56.
24. Hollingsworth JM, Rogers MA, Krein SL, et al. Determining the noninfectious complications of indwelling urethral catheters: a systematic review and meta-analysis(link is external). *Ann Intern Med*. 2013 Sep 17;159(6):401- 10
25. Yan L, Chen P, Chen EZ, et al. Risk of bladder cancer in renal transplant recipients: a meta-analysis(link is external). *Br J Cancer*. 2014 Apr 1;110(7):1871-7
26. Koutros S, et al, Hair dye use and risk of bladder cancer in the New England bladder cancer study, *Int J Cancer* 2011 Dec 15
27. Claxton LD1. *Mutat Res Rev Mutat Res*. 2015 Jan-Mar;763:30-85. Epub 2014 Sep 22. The history, genotoxicity, and carcinogenicity of carbon-based fuels and their emissions. Part 3: diesel and gasoline.
28. Anttila, S; Boffetta, P. *Occupational Cancers*; Springer 2014
29. TOXICOLOGICAL PROFILE FOR TRICHLOROETHYLENE-DRAFT, Agency for Toxic Substances and Disease Registry, October 2014.

30. "Epidemiologic Studies of Solvent-Contaminated Water Supplies," Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
31. Vartianinen T, Pukkala E, Rienoja T, et al. 1993. Population exposure to tri- and tetrachloroethene and cancer risk: Two cases of drinking water pollution. *Chemosphere* 27(7):1171-1181.
32. Morgan JW1, Cassady RE. Community cancer assessment in response to long-time exposure to perchlorate and trichloroethylene in drinking water. *J Occup Environ Med.* 2002 Jul;44(7):616-21.
33. Paulu C, Aschengrau A, Ozonoff D. Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect.* 1999 Apr;107(4):265-71.
34. Aschengrau A, Rogers S, Ozonoff D. Perchloroethylene-contaminated drinking water and the risk of breast cancer: additional results from Cape Cod, Massachusetts, USA. *Environ Health Perspect.* 2003 Feb;111(2):167-73.
35. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health.* 2014 Feb 19;13(1):10.
36. Bove et al. Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environmental Health* 2014, 13:68
37. Vlaanderen, J., Straif, K., Ruder, A., Blair, A., Hansen, J., Lynge, E., ... Guha, N. (2014). Tetrachloroethylene Exposure and Bladder Cancer Risk: A Meta-Analysis of Dry-Cleaning-Worker Studies. *Environmental Health Perspectives*, 122(7), 661–666. doi:10.1289/ehp.1307055
38. Christensen KY1, Vizcaya D, Richardson H, Lavoué J, Aronson K, Siemiatycki J. Risk of selected cancers due to occupational exposure to chlorinated solvents in a case-control study in Montreal. *J Occup Environ Med.* 2013 Feb; 55(2):198-208.
39. Lipworth L1, Sonderman JS, Mumma MT, Tarone RE, Marano DE, Boice JD Jr, McLaughlin JK. Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med.* 2011 Sep;53(9):992-1007
40. Colt JS, et al, Occupation and bladder cancer in a population-based case-control study in Northern New England., *Occup Environ Med* 2011 Apr
41. Seldén AI1, Ahlborg G Jr. Cancer morbidity in Swedish dry-cleaners and laundry workers: historically prospective cohort study. *Int Arch Occup Environ Health.* 2011 Apr;84(4):435-43.
42. Calvert GM, Ruder AM, Petersen MR, Mortality and end-stage renal disease incidence among dry cleaning workers, *Occup Environ Med* 2011 68: 709-716
1. Howlader N, Noone AM, Krapcho M, et. al. (eds). *SEER Cancer Statistics Review, 1975–2009* (Vintage 2009 Populations), National Cancer Institute. Bethesda, MD, 2012. Retrieved September 7, 2012.
2. Bove FJ1, Ruckart PZ, Maslia M, Larson TC. Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health.* 2014 Aug 13; 13:68.
3. Bove FJ, Ruckart PZ, Maslia M, et.al. Evaluation of mortality among Marines and Navy personnel exposed to contaminated drinking water at USMC base camp LeJeune: a retrospective cohort study. *Environmental Health* 2014, 13:10.
1. Up To Date, Definition and staging of chronic kidney disease in adults, accessed 12/15/2015.
2. Levey A, Coresh J, et al. Chronic kidney disease. *The Lancet* 2012 Jan 14; 9811(379): 165-180.
3. United States Renal Data System, USRDS 2010 and 2011 Annual Data Reports: Atlas of Chronic Kidney Disease and End-Stage Renal Disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD.

4. Coresh J, Byrd-Holt D, Astor BC, et al. Chronic kidney disease awareness, prevalence, and trends among U.S. adults, 1999 to 2000. *J Am Soc Nephrol* 2005; 16:180.
5. Wickman CI, Kramer H. *Semin Nephrol*. 2013 Jan;33(1):14-22. doi: 10.1016/j.semnephro.2012.12.006. Obesity and kidney disease: potential mechanisms.
6. Adult obesity facts [webpage on the Internet] Atlanta: Center for Disease Control and Prevention; [Accessed on 12/15/2015]. Obesity and overweight trends in the US, 2015. [Updated Sept 2015]. Available from: <http://www.cdc.gov/nccdphp/dnpa/obesity/trend/index.htm>.
7. Meredith C. Foster, Shih-Jen Hwang, Martin G. Larson, Judith H. Lichtman, Nisha I. Parikh, Ramachandran S. Vasan, Daniel Levy, Caroline S. Fox. Overweight, Obesity, and the Development of Stage 3 CKD: The Framingham Heart Study, *American Journal of Kidney Diseases*, Volume 52, Issue 1, July 2008, Pages 39-48.
8. Zoccali C. *Prilozi*. 2009 Dec;30(2):17-31. Overweight, obesity and metabolic alterations in chronic kidney disease.
9. Kwakernaak AJ, Toering Ti, Navis G. *Nephrol Dial Transplant*. 2013 Nov; 28 Suppl 4:iv42-iv49. doi: 10.1093/ndt/gft331. Body mass index and body fat distribution as renal risk factors: a focus on the role of renal haemodynamics.
10. Gregorio T Obrador, MD, MPH et al; *Epidemiology of chronic kidney disease*. UpToDate; This topic last updated: Jan 23, 2015, accessed 11/10/15;
11. Johannes FE Mann, MD et al; *Clinical features, diagnosis, and treatment of hypertensive nephrosclerosis*; UpToDate; This topic current through October 2015; accessed 11/10/15;
12. Jochen Reiser et al, MD, PhD; *Epidemiology, classification, and pathogenesis of focal segmental glomerulosclerosis*. UpToDate; Literature review current through: Oct 2015, accessed 11/10/15;
13. Mark Rosenberg, MD et al. *Overview of the management of chronic kidney disease in adults*. UpToDate; This topic last updated: Oct 30, 2015. Accessed 11/10/15
14. Buffet L, Ricchetti C. *Chronic Kidney Disease and Hypertension*. http://www.medscape.com/viewarticle/766696_2. Accessed 12/15/2015.
15. *Practitioner*. 2013 Feb; 257(1758):19-22, 2-3. Tracking down the cause of proteinuria in primary care. Lewis G, Maxwell AP. Source Regional Nephrology Unit, Belfast City Hospital, Belfast, UK.
16. Ljutic D, Kes P. *Nephrol Dial Transplant*. 2003 Jul; 18 Suppl 15:v28-30. The role of arterial hypertension in the progression of non-diabetic glomerular diseases.
17. Kes P, Basic-Jukic N, Ljutic D, Brunetta-Gavran. *Acta Med Croatica*. 2011 Oct;65 Suppl 3:78-84. [The role of arterial hypertension in development of chronic renal failure.
18. Bruck K1, Stel VS1, Fraser S2, De Goeij MC3, Caskey F4, Abu-Hanna A5, Jager KJ1. *Clin Kidney J*. 2015 Dec;8(6):647-655. Epub 2015 Aug 30. Translational research in nephrology: chronic kidney disease prevention and public health.
19. Hong SK1, Lee ST, Jeong Si, Byun SS, Hong YK, Park DS, Hong JY, Son JH, Kim C, Jang SH, Lee SE. *Chronic kidney disease among men with lower urinary tract symptoms due to benign prostatic hyperplasia*. *BJU Int*. 2010 May; 105(10):1424-8.
20. Rule AD1, Jacobson DJ, Roberts RO, Girman CJ, McGree ME, Lieber MM, Jacobsen S.J. The association between benign prostatic hyperplasia and chronic kidney disease in community-dwelling men. *Kidney Int*. 2005 Jun;67(6):2376-82.
21. Kalyesubula, R., & Perazella, M. A. (2011). Nephrotoxicity of HAART. *AIDS Research and Treatment*, 2011, 562790. <http://doi.org/10.1155/2011/562790>.
22. Brian D. Carter, M.P.H., Christian C. Abnet, Ph.D., Diane Feskanich, Sc.D., Et al; *Smoking and Mortality — Beyond Established Causes*; *The New England Journal of Medicine* February 12, 2015;
23. Cooper RG1. *Indian J Med Res*. 2006 Sep; 124(3):261-8. Effect of tobacco smoking on renal function.

24. Takayuki Yoshizawa, Kazuyoshi Okada, Sachiko Furuichi1 et al: Prevalence of chronic kidney diseases in patients with chronic obstructive pulmonary disease: assessment based on glomerular filtration rate estimated from creatinine and cystatin C levels; *International Journal of COPD*, July 6 2015;
25. Orth SR1. *Nephron*. 2000 Sep; 86(1):12-26. Smoking--a renal risk factor.
26. Orth S111, Viedt C, Ritz ET, ohoku J; *Exp Med*. 2001 May; 194(1):1-15. Adverse effects of smoking in the renal patient.
27. Orth SRL *J Am Soc Nephrol*. 2004 Jan; 15 Suppl 1:S58-63. Effects of smoking on systemic and intrarenal hemodynamics: influence on renal function.
28. Halimi JM, Giraudeau B, Vol S, Caces E, Nivet H, Lebranchu V, TichetJ: Effects of current smoking and smoking discontinuation on renal function and proteinuria in the general population. *Kidney Int* 58: 1285-1292, 2000
29. Stephan R. Orth and Stein I. Hallan; Smoking: A Risk Factor for Progression of Chronic Kidney Disease and for Cardiovascular Morbidity and Mortality in Renal Patients-Absence of Evidence or Evidence of Absence? *Clin J Am Soc Nephrol* 3: 226-236, 2008.
30. TOXICOLOGICAL PROFILE FOR BENZENE; U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES; Public Health Service Agency for Toxic Substances and Disease Registry August 2007
31. Centers for Disease Control and Prevention (US); National Center for Chronic Disease Prevention and Health Promotion (US); Office on Smoking and Health (US). *How Tobacco Smoke Causes Disease: The Biology and Behavioral Basis for Smoking-Attributable Disease: A Report of the Surgeon General*. Atlanta (GA): Centers for Disease Control and Prevention (US); 2010. 3, Chemistry and Toxicology of Cigarette Smoke and Biomarkers of Exposure and Harm.
32. Douville P, Martel AR, Talbot J et al. Impact of age on glomerular filtration estimates. *Nephrol. Dial. Transplant*. 24, 97-103 (2009).
33. Hemmelgarn BR, ZhangJ, Manns BJ et al. Progression of kidney dysfunction in the community-dwelling elderly. *Kidney Int*. 69, 2155-2161(2006).
34. Lindeman RD, Tobin J, Shock NW. Longitudinal studies on the rate of decline in renal function with age. *J. Am. Geriatr. Soc*. 33,278-285 (1985).
35. Soderland P, Lovekar S, Weiner D et al. Chronic Kidney Disease Associated with Environmental Toxins and Exposures. *Adv in Chr Kid Dis*, 17(3), 254-264, May 2010.
36. Paulu, C., Aschengrau, A., & Ozonoff, D. (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environmental Health Perspectives*, 107(4), 265–271.
37. Wartenberg D, Reyner D, Scott CS. 2000 Trichloroethylene and cancer: epidemiologic evidence. *Environ Health Perspect* 108(S2):161-176.
38. Bove et al.: Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environmental Health* 2014 13:10.
39. N.J. David, R. Wolman, F.J. Milne, et al. Acute renal failure due to trichloroethylene poisoning. *Br J Ind Med*, 46 (1989), pp. 347–349
40. Van Vleet T, Schnellmann R. Toxic nephropathy: environmental chemicals. *Seminars in Nephrology*, 23(5), 500-508, Sept 2003.
41. Yagoob N, Evans A, Foster JR, Lock EA *Toxicology*. 2014 Sep 2; 323:70-7. Epub 2014Jun 9. Trichloroethylene and trichloroethanol-induced formic aciduria and renal injury in male F-344 rats following 12 weeks exposure.
42. Lock EA, Reed CJ. *Toxicol Sci*. 2006 Jun; 91(2):313-31. Epub 2006 Jan 18. Trichloroethylene: mechanisms of renal toxicity and renal cancer and relevance to risk assessment.
43. Calvert GM1, Ruder AM, Petersen MR. *Occup Environ Med*. 2011 Oct; 68(10):709-16. Epub 2010 Dec 16. Mortality and end-stage renal disease incidence among dry cleaning workers.

44. Solet D1, Robins TG.. Am J Ind Med. 1991; 20(5):601-14. Renal function in dry cleaning workers exposed to perchloroethylene.
45. Mutti AI, Alinovi R, Bergamaschi E, Biagini C, Cavazzini S, et al. Lancet. 1992 Jul 25; 340(8813):189-93. Nephropathies and exposure to perchloroethylene in dry-cleaners.
46. Ravnskov U. Hydrocarbon exposure may cause glomerulonephritis and worsen renal function: evidence based on Hill's criteria for causality. QJM. 2000; 93:551-6.
47. TOXICOLOGICAL PROFILE FOR BENZENE; U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES; Public Health Service Agency for Toxic Substances and Disease Registry August 2007;
48. Industrial Solvents and Kidney Disease NACHMAN BRAUTBAR, MD; INT J OCCUP ENVIRON HEALTH 2004; 10:79-83
49. Zakia Mediouni, Guillaume Potherat, Xavier Barrere, Alain Debure, and Alexis Descathal. Renal failure and occupational exposure to organic solvents: what work-up should be performed? Arch Environ Occup Health. Author manuscript; available in PMC 2012 Apr 6.
50. Jacob S, Fiery M, Protois JC, Rossert J, Stengel B Occup Environ Med. 2007 Dec;64(12):843-8. Epub 2007 Jun 13. New insight into solvent-related end-stage renal disease: occupations, products and types of solvents at risk.
51. Jacob Si, Fiery M, Protois JC, Rossert J, Stengel B. Am Soc Nephrol. 2007 Jan; 18(1):274-81. Epub 2006 Nov 29. Effect of organic solvent exposure on chronic kidney disease progression: the GN-PROGRESS cohort study.
52. U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES, Agency for Toxic Substances and Disease Registry Division of Toxicology and Human Health Sciences Atlanta, GA 30333; ADDENDUM TO THE TOXICOLOGICAL PROFILE FOR TRICHLOROETHYLENE, January 2013
53. DEPARTMENT OF HEALTH AND HUMAN SERVICES, Public Health Service Agency for Toxic Substances and Disease Registry PUBLIC HEALTH STATEMENT Benzene CAS#: 71-43-2
54. Jakubowski M1. Int J Occup Med Environ Health. 2005; 18(1):5-14. Influence of occupational exposure to organic solvents on kidney function.
55. JM Harrington, H Whitby, CN Gray, FJ Reid, TC Aw and JA Waterhouse Renal disease and occupational exposure to organic solvents: a case referent approach. Br J Ind Med. Sep 1989; 46(9): 643-650
56. Stengel B, Cenee S, Limasset J et al. Organic Solvent Exposure May Increase the Risk of Glomerular Nephropathies with Chronic Renal Failure. Int. J. Epidemiol. (1995) 24 (2): 427-434.
1. Harris NL, Jaffe ES, Diebold J, et al. World Health Organization classification of neoplastic diseases of the hematopoietic and lymphoid tissues: report of the Clinical Advisory Committee meeting-Airlie House, Virginia, November 1997. J Clin Oncol 1999; 17:3835.
2. American Cancer Society: Cancer Facts and Figures 2014. Atlanta, Ga: American Cancer Society, 2014. Available online . Last accessed May 21, 2014.
3. Dighiero G, Hamblin TJ: Chronic lymphocytic leukaemia. Lancet 371 (9617): 1017-29, 2008. [PUBMED Abstract]
4. Hallek M, Cheson BD, Catovsky D, et al.: Guidelines for the diagnosis and treatment of chronic lymphocytic leukemia: a report from the International Workshop on Chronic Lymphocytic Leukemia updating the National Cancer Institute-Working Group 1996 guidelines. Blood 111 (12): 5446-56, 2008. [PUBMED Abstract]
5. Shanafelt TD, Kay NE, Jenkins G, et al.: B-cell count and survival: differentiating chronic lymphocytic leukemia from monoclonal B-cell lymphocytosis based on clinical outcome. Blood 113 (18): 4188-96, 2009. [PUBMED Abstract]
6. Rawstron AC, Bennett FL, O'Connor SJ, et al.: Monoclonal B-cell lymphocytosis and chronic lymphocytic leukemia. N Engl J Med 359 (6): 575-83, 2008. [PUBMED Abstract]

6. Dighiero G: Monoclonal B-cell lymphocytosis--a frequent premalignant condition. *N Engl J Med* 359 (6): 638-40, 2008. [PUBMED Abstract]
7. Smith A, Howell D, Patmore R, et al. Incidence of haematological malignancy by sub-type: a report from the Haematological Malignancy Research Network. *Br J Cancer* 2011; 105:1684.
8. Hernández JA, Land KJ, McKenna RW. Leukemias, myeloma, and other lymphoreticular neoplasms. *Cancer* 1995; 75:381.
9. Kobayashi T, Kita K, Ohno T, Shirakawa S. [Chronic lymphocytic leukemia in Japan]. *Rinsho Ketsueki* 1990; 31:554.
10. Yang C, Zhang X. Incidence survey of leukemia in China. *Chin Med Sci J* 1991; 6:65.
11. Zheng W, Linet MS, Shu XO, et al. Prior medical conditions and the risk of adult leukemia in Shanghai, People's Republic of China. *Cancer Causes Control* 1993; 4:361.
12. Wu SJ, Huang SY, Lin CT, et al. The incidence of chronic lymphocytic leukemia in Taiwan, 1986-2005: a distinct increasing trend with birth-cohort effect. *Blood* 2010; 116:4430.
13. Fleming AF. The epidemiology of lymphomas and leukaemias in Africa--an overview. *Leuk Res* 1985; 9:735.
14. Oloo AJ, Ogada TA. Chronic lymphocytic leukaemia (CLL): clinical study at Kenyatta National Hospital (KNH). *East Afr Med J* 1984; 61:797.
15. Haenszel W, Kurihara M. Studies of Japanese migrants. I. Mortality from cancer and other diseases among Japanese in the United States. *J Natl Cancer Inst* 1968; 40:43.
16. Yanagihara ET, Blaisdell RK, Hayashi T, Lukes RJ. Malignant lymphoma in Hawaii-Japanese: a retrospective morphologic survey. *Hematol Oncol* 1989; 7:219.
17. Coombs CC, Rassenti LZ, Falchi L, et al. Single nucleotide polymorphisms and inherited risk of chronic lymphocytic leukemia among African Americans. *Blood* 2012; 120:1687.
18. Asou H, Takechi M, Tanaka K, et al. Japanese B cell chronic lymphocytic leukaemia: a cytogenetic and molecular biological study. *Br J Haematol* 1993; 85:492.
19. Gunawardana C, Austen B, Powell JE, et al. South Asian chronic lymphocytic leukaemia patients have more rapid disease progression in comparison to White patients. *Br J Haematol* 2008; 142:606.
20. Blair A, White DW. Leukemia cell types and agricultural practices in Nebraska. *Arch Environ Health* 1985; 40:211.
21. Burmeister LF, Van Lier SF, Isacson P. Leukemia and farm practices in Iowa. *Am J Epidemiol* 1982; 115:720.
22. Preston DL, Kusumi S, Tomonaga M, et al. Cancer incidence in atomic bomb survivors. Part III. Leukemia, lymphoma and multiple myeloma, 1950-1987. *Radiat Res* 1994; 137:S68.
23. Schubauer-Berigan MK, Daniels RD, Fleming DA, et al. Chronic lymphocytic leukaemia and radiation: findings among workers at five US nuclear facilities and a review of the recent literature. *Br J Haematol* 2007; 139:799.
24. Arp EW Jr, Wolf PH, Checkoway H. Lymphocytic leukemia and exposures to benzene and other solvents in the rubber industry. *J Occup Med* 1983; 25:598.
25. Monson RR, Fine LJ. Cancer mortality and morbidity among rubber workers. *J Natl Cancer Inst* 1978; 61:1047.
26. McMichael AJ, Andjelkovic DA, Tyroler HA. Cancer mortality among rubber workers: an epidemiologic study. *Ann N Y Acad Sci* 1976; 271:125.
27. Landgren O, Rapkin JS, Caporaso NE, et al. Respiratory tract infections and subsequent risk of chronic lymphocytic leukemia. *Blood* 2007; 109:2198.
28. Brandt L. Environmental factors and leukaemia. *Med Oncol Tumor Pharmacother* 1985; 2:7.
29. *Am J Epidemiol*. 1992 Apr 1;135(7):763-8. Smoking and risk of leukemia. Brown LM1, Gibson R, Blair A, Burmeister LF, Schuman LM, Cantor KP, Fraumeni JF Jr.

30. Cancer Causes Control. 2004 Feb;15(1):35-43. Obesity and cancer risk among white and black United States veterans. Samanic C1, Gridley G, Chow WH, Lubin J, Hoover RN, Fraumeni JF Jr.
31. Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition; Khan, A et al., Haematologica June 2008 93: 842-850
32. Obesity and the Risk for a Hematological Malignancy: Leukemia, Lymphoma, or Myeloma , Marshall A. Lichtman, The Oncologist October 2010 vol. 15 no. 10 1083-1101
33. Schnatter AR, Glass DC, Tang G, et al. Myelodysplastic Syndrome and Benzene Exposure Among Petroleum Workers: An International Pooled Analysis. J Natl Cancer Inst. 2012 Nov 21; 104(22): 1724-1737.
1. Renehan AG, Tyson M, Egger M, et al. Body-mass index and incidence of cancer: a systematic review and meta-analysis of prospective observational studies. Lancet 2008; 371:569.
2. Inoue M, Iwasaki M, Otani T, et al. Diabetes mellitus and the risk of cancer: results from a large-scale population-based cohort study in Japan. Arch Intern Med 2006; 166:1871.
3. Hu FB, Manson JE, Liu S, et al. Prospective study of adult onset diabetes mellitus (type 2) and risk of colorectal cancer in women. J Natl Cancer Inst 1999; 91:542.
4. Jee SH, Ohrr H, Sull JW, et al. Fasting serum glucose level and cancer risk in Korean men and women. JAMA 2005; 293:194.
5. Yang YX, Hennessy S, Lewis JD. Type 2 diabetes mellitus and the risk of colorectal cancer. Clin Gastroenterol Hepatol 2005; 3:587.
6. Nilsen TI, Vatten LJ. Prospective study of colorectal cancer risk and physical activity, diabetes, blood glucose and BMI: exploring the hyperinsulinaemia hypothesis. Br J Cancer 2001; 84:417.
7. He J, Stram DO, Kolonel LN, et al. The association of diabetes with colorectal cancer risk: the Multiethnic Cohort. Br J Cancer 2010; 103:120.
8. Larsson SC, Orsini N, Wolk A. Diabetes mellitus and risk of colorectal cancer: a meta-analysis. J Natl Cancer Inst 2005; 97:1679.
9. Yuhara H, Steinmaus C, Cohen SE, et al. Is diabetes mellitus an independent risk factor for colon cancer and rectal cancer? Am J Gastroenterol 2011; 106:1911.
10. Deng L, Gui Z, Zhao L, et al. Diabetes mellitus and the incidence of colorectal cancer: an updated systematic review and meta-analysis. Dig Dis Sci 2012; 57:1576.
11. De Bruijn KM, Arends LR, Hansen BE, et al. Systematic review and meta-analysis of the association between diabetes mellitus and incidence and mortality in breast and colorectal cancer. Br J Surg 2013; 100:1421.
12. Chan AO, Jim MH, Lam KF, et al. Prevalence of colorectal neoplasm among patients with newly diagnosed coronary artery disease. JAMA 2007; 298:1412.
13. Botteri E, Iodice S, Bagnardi V, et al. Smoking and colorectal cancer: a meta-analysis. JAMA 2008; 300:2765.
14. Siegel R, Naishadham D, Jemal A. Cancer statistics, 2013. CA Cancer J Clin 2013; 63:11.
15. Epidemiologic Studies of Solvent-Contaminated Water Supplies," –Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
16. Mundt KA, Birk T, Burch MT. Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer. Int Arch Occup Environ Health. 2003 Sep;76(7):473-91. Epub 2003 Jul 29.
17. Lipworth L, Sonderman JS, Mumma MT, Tarone RE, Marano DE, Boice JD Jr, McLaughlin JK. Cancer mortality among aircraft manufacturing workers: an extended follow-up. J Occup Environ Med. 2011 Sep;53(9):992-1007. doi: 10.1097/JOM.0b013e31822e0940.

18. Paulu C, Aschengrau A, Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Ozonoff D Environ Health Perspect.* 1999 Apr;107(4):265-71
19. Hansen J1, Sallmén M, Seldén AI, Anttila A, Pukkala E, Andersson K, Bryngelsson IL, Raaschou-Nielsen O, Olsen JH, McLaughlin JK. Risk of cancer among workers exposed to trichloroethylene: analysis of three Nordic cohort studies. *J Natl Cancer Inst.* 2013 Jun 19;105(12):869-77. doi: 10.1093/jnci/djt107. Epub 2013 May 30.
20. Morgan JW1, Cassady RE. Community cancer assessment in response to long-time exposure to perchlorate and trichloroethylene in drinking water. *J Occup Environ Med.* 2002 Jul;44(7):616-21.
21. Ahnen D, Macrae F, Up-to-Date, Colorectal cancer: Epidemiology, risk factors, and protective factors; This topic last updated: Apr 17, 2014
22. Giovannucci, E, *Am J Clin Nutr* September 2007 vol. 86 no. 3 836S-842S, Metabolic syndrome, hyperinsulinemia, and colon cancer: a review
23. Bove FJ, Ruckart PZ, Maslia M, Larson TC, Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health.* 2014 Feb 19;13(1):10.
24. P. Boffetta et al., *A Quick Guide to Cancer Epidemiology*, Springer 2014
25. Bove et al., Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study, *Environmental Health* 2014, 13:10
1. *J Occup Environ Med.* 2013 Aug;55(8):924-31. doi: 10.1097/JOM.0b013e3182941a1c. Occupational exposure to chlorinated and petroleum solvents and mycosis fungoides. Morales-Suárez-Varela MM1, Olsen J, Villeneuve S, Johansen P, Kaerlev L, Llopis-González A, Wingren G, Hardell L, Ahrens W, Stang A, Merletti F, Gorini G, Aurrekoetxea JJ, Févotte J, Cyr D, Guénel P.
2. *Cancer Causes Control.* 2005 Dec;16(10):1253-9. Occupational exposures and mycosis fungoides. A European multicentre case-control study (Europe). Morales-Suárez-Varela MM1, Olsen J, Johansen P, Kaerlev L, Guénel P, Arveux P, Wingren G, Hardell L, Ahrens W, Stang A, Llopis A, Merletti F, Aurrekoetxea JJ, Masala G.
3. *N Engl J Med.* 2004 May 6;350(19):1978-88. The pathogenesis of mycosis fungoides. Girardi M, Heald PW, Wilson LD.
4. Burg G, Kempf W. Etiology and pathogenesis of cutaneous lymphomas. In: Burg G, Kempf W. *Cutaneous Lymphomas.* London: Taylor & Francis; 2005
1. Lawrence RC, Helmick CG, Arnett FC, et al. Estimates of the prevalence of arthritis and selected musculoskeletal disorders in the United States. *Arthritis Rheum* 1998; 41:778.
2. Chiffrot H, Fautrel B, Sordet C, et al. Incidence and prevalence of systemic sclerosis: a systematic literature review. *Semin Arthritis Rheum* 2008; 37:223.
3. John Varga, MD, John S Axford, DSc, MD, FRCP, FRCPC, Monica P Ramirez, MD, MPH. Risk factors for and possible causes of systemic sclerosis (scleroderma) Literature review current through: Jul 2013.
4. McCormic ZD, Khuder SS, Aryal BK, et al. Occupational silica exposure as a risk factor for scleroderma: a meta-analysis. *Int Arch Occup Environ Health* 2010; 83:763.
5. Lacey JV Jr, Garabrant DH, Laing TJ, et al. Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol* 1999; 149:761.
6. Kerr LD, Spiera H. Scleroderma in association with the use of bleomycin: a report of 3 cases. *J Rheumatol* 1992; 19:294.
7. Tabuenca JM. Toxic-allergic syndrome caused by ingestion of rapeseed oil denatured with aniline. *Lancet* 1981; 2:567.
8. Addendum to the Toxicological Profile For Trichloroethylene, ATSDR, January 2013
9. Toxicological Profile for Vinyl Chloride, ATSDR, July 2006
10. Ostlere LS, Harris D, Buckley C, Black C, & Rustin MHA (1992) Atypical systemic sclerosis

following exposure to vinyl chloride monomer: A case report and review of the cutaneous aspects of vinyl chloride disease. *Clin Exp Dermatol*, 17: 208–210.

11. Ishikawa O, Weerite S, Tamura A, & Miyachi Y (1995) Occupational scleroderma: A 17-year follow-up study. *Br J Dermatol*, 133: 786–789.

12. Ward AM, Udnoon S, Watkins J, Walker AE, & Darke CS (1976) Immunological mechanisms in the pathogenesis of vinyl chloride disease. *Br Med J*, 1: 936–938.

1. American Cancer Society.: *Cancer Facts and Figures 2014*. Atlanta, Ga: American Cancer Society, 2014. Available online . Last accessed March 26, 2014.

2. Devesa SS, Blot WJ, Fraumeni JF Jr: Changing patterns in the incidence of esophageal and gastric carcinoma in the United States. *Cancer* 83 (10): 2049-53, 1998. [PUBMED Abstract]

3. Blot WJ, McLaughlin JK: The changing epidemiology of esophageal cancer. *Semin Oncol* 26 (5 Suppl 15): 2-8, 1999. [PUBMED Abstract]

4. Lagergren J, Bergström R, Lindgren A, et al.: Symptomatic gastroesophageal reflux as a risk factor for esophageal adenocarcinoma. *N Engl J Med* 340 (11): 825-31, 1999. [PUBMED Abstract]

5. Tietjen TG, Pasricha PJ, Kalloo AN: Management of malignant esophageal stricture with esophageal dilation and esophageal stents. *Gastrointest Endosc Clin N Am* 4 (4): 851-62, 1994. [PUBMED Abstract]

6. Lightdale CJ, Heier SK, Marcon NE, et al.: Photodynamic therapy with porfimer sodium versus thermal ablation therapy with Nd:YAG laser for palliation of esophageal cancer: a multicenter randomized trial. *Gastrointest Endosc* 42 (6): 507-12, 1995. [PUBMED Abstract]

7. Kubba AK: Role of photodynamic therapy in the management of gastrointestinal cancer. *Digestion* 60 (1): 1-10, 1999 Jan-Feb. [PUBMED Abstract]

8. Heier SK, Heier LM: Tissue sensitizers. *Gastrointest Endosc Clin N Am* 4 (2): 327-52, 1994. [PUBMED Abstract]

9. Bourke MJ, Hope RL, Chu G, et al.: Laser palliation of inoperable malignant dysphagia: initial and at death. *Gastrointest Endosc* 43 (1): 29-32, 1996. [PUBMED Abstract]

10. Ziegler K, Sanft C, Zeitz M, et al.: Evaluation of endosonography in TN staging of oesophageal cancer. *Gut* 32 (1): 16-20, 1991. [PUBMED Abstract]

11. Tio TL, Coene PP, den Hartog Jager FC, et al.: Preoperative TNM classification of esophageal carcinoma by endosonography. *Hepatogastroenterology* 37 (4): 376-81, 1990. [PUBMED Abstract]

12. Vazquez-Sequeiros E, Norton ID, Clain JE, et al.: Impact of EUS-guided fine-needle aspiration on lymph node staging in patients with esophageal carcinoma. *Gastrointest Endosc* 53 (7): 751-7, 2001. [PUBMED Abstract]

13. Bonavina L, Incarbone R, Lattuada E, et al.: Preoperative laparoscopy in management of patients with carcinoma of the esophagus and of the esophagogastric junction. *J Surg Oncol* 65 (3): 171-4, 1997. [PUBMED Abstract]

14. Sugarbaker DJ, Jaklitsch MT, Liptay MJ: Thoracoscopic staging and surgical therapy for esophageal cancer. *Chest* 107 (6 Suppl): 218S-223S, 1995. [PUBMED Abstract]

15. Luketich JD, Schauer P, Landreneau R, et al.: Minimally invasive surgical staging is superior to endoscopic ultrasound in detecting lymph node metastases in esophageal cancer. *J Thorac Cardiovasc Surg* 114 (5): 817-21; discussion 821-3, 1997. [PUBMED Abstract]

16. Krasna MJ, Reed CE, Nedzwiecki D, et al.: CALGB 9380: a prospective trial of the feasibility of thoracoscopy/laparoscopy in staging esophageal cancer. *Ann Thorac Surg* 71 (4): 1073-9, 2001. [PUBMED Abstract]

17. Flamen P, Lerut A, Van Cutsem E, et al.: Utility of positron emission tomography for the staging of patients with potentially operable esophageal carcinoma. *J Clin Oncol* 18 (18): 3202-10, 2000. [PUBMED Abstract]

18. Flamen P, Van Cutsem E, Lerut A, et al.: Positron emission tomography for assessment of the response to induction radiochemotherapy in locally advanced oesophageal cancer. *Ann Oncol* 13 (3): 361-8, 2002. [PUBMED Abstract]
19. Weber WA, Ott K, Becker K, et al.: Prediction of response to preoperative chemotherapy in adenocarcinomas of the esophagogastric junction by metabolic imaging. *J Clin Oncol* 19 (12): 3058-65, 2001. [PUBMED Abstract]
20. van Westreenen HL, Westerterp M, Bossuyt PM, et al.: Systematic review of the staging performance of 18F-fluorodeoxyglucose positron emission tomography in esophageal cancer. *J Clin Oncol* 22 (18): 3805-12, 2004. [PUBMED Abstract]
21. Up-to Date: Pathogenesis of Barrett's esophagus and its malignant transformation, Spechler, S, Literature review current through: Apr 2014. | This topic last updated: May 14, 2013.
22. Helicobacter pylori infection and gastric atrophy: risk of adenocarcinoma and squamous-cell carcinoma of the esophagus and adenocarcinoma of the gastric cardia. Ye W, Held M, Lagergren J, Engstrand L, Blot WJ, McLaughlin JK, Nyrén O *J Natl Cancer Inst.* 2004;96(5):388.
23. Bytzer P, Christensen PB, Damkier P, Vinding K, Seersholm N, Adenocarcinoma of the esophagus and Barrett's esophagus: a population-based study. *Am J Gastroenterol.* 1999;94(1):86.
24. Lagergren J, Mattsson, No further increase in the incidence of esophageal adenocarcinoma in Sweden. *Int J Cancer.* 2011 Jul;129(2):513-6. Epub 2010 Nov 16.
25. F. Turati, I. Tramacere, C. La Vecchia & E. Negri A meta-analysis of body mass index and esophageal and gastric cardia adenocarcinoma, *Annals of Oncology* 00: 1–9, 2012
26. *Oral Oncol.* 2006 Nov;42(10):957-64. Epub 2006 Aug 21. Smoking cessation and the risk of oesophageal cancer: An overview of published studies. Bosetti C1, Gallus S, Garavello W, La Vecchia C.
27. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. *Environ Health.* 2014 Feb 19;13(1):10. doi: 10.1186/1476-069X-13-10.
28. Cook MB, Kamangar F, Whiteman DC, et al. Cigarette smoking and adenocarcinomas of the esophagus and esophagogastric junction: a pooled analysis from the international BEACON consortium. *J Natl Cancer Inst* 2010;102(17):1344-53.
29. Lubin JH, Cook MB, Pandeya N, et al. The importance of exposure rate on odds ratios by cigarette smoking and alcohol consumption for esophageal adenocarcinoma and squamous cell carcinoma in the Barrett's Esophagus and Esophageal Adenocarcinoma Consortium. *Cancer Epidemiol* 2012;36(3):306-16.
1. American Cancer Society.: *Cancer Facts and Figures 2014.* Atlanta, Ga: American Cancer Society, 2014. Available online . Last accessed March 26, 2014.
2. Up-to Date: Pathogenesis of Barrett's esophagus and its malignant transformation, Spechler, S, Literature review current through: Apr 2014. | This topic last updated: May 14, 2013.
3. Helicobacter pylori infection and gastric atrophy: risk of adenocarcinoma and squamous-cell carcinoma of the esophagus and adenocarcinoma of the gastric cardia. Ye W, Held M, Lagergren J, Engstrand L, Blot WJ, McLaughlin JK, Nyrén O *J Natl Cancer Inst.* 2004;96(5):388.
4. Bytzer P, Christensen PB, Damkier P, Vinding K, Seersholm N, Adenocarcinoma of the esophagus and Barrett's esophagus: a population-based study. *Am J Gastroenterol.* 1999;94(1):86.
5. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. *Environ Health.* 2014 Feb 19;13(1):10. doi: 10.1186/1476-069X-13-10.
6. Christopher I. Wilson, Janna Summerall, Irvin Willis, Jack Lubin, and Beria Cabello Inchausti (2000) Esophageal Collision Tumor (Large Cell Neuroendocrine Carcinoma and Papillary Carcinoma) Arising in a Barrett Esophagus. *Archives of Pathology & Laboratory Medicine:* March 2000, Vol. 124, No. 3, pp. 411-415.

7. Neuroendocrine carcinoma of the esophagus: Report of a case and review of the literature, *Open Journal of Gastroenterology*, 2012, 2, 85-90, Keisuke Kubota^{1*}, Akihiro Okada¹, Junko Kuroda¹, Masashi Yoshida¹, Nobuto Origuchi¹, Keiichiro Ohta¹, Masayuki Itabashi², Yoshiyuki Osamura², Masaki Kitajima¹
8. Buchan, A. M. , S. Grant , and H. J. Freeman . Regulatory peptides in Barrett's esophagus. *J Pathol* 1985. 146:227–234.
9. Travis, W. D. , A. A. Gal , T. V. Colby , D. S. Klimstra , R. Falk , and M. N. Koss . Reproducibility of neuroendocrine lung tumor classification. *Hum Pathol* 1998. 29:272–279.
10. Tateichi, R. , H. Taniguchi , A. Wada , T. Horai , and K. Taniguchi . Argyrophil cells and melanocytes in esophageal mucosa. *Arch Pathol* 1974. 98:87–89.
- 1) Kamangar F, Chow W-H, Abnet C, Dawsey S. Environmental Causes of Esophageal Cancer. *Gastroenterol*. 38(1): 27-vii. *Gastroenterol Clin North Am*. Author manuscript; available in PMC 2010 March 1. Published in final edited form as: *Gastroenterol Clin North Am*. 2009 March; 38(1): 27-vii.
- 2) *Int Arch Occup Environ Health*. 2003 Sep;76(7):473-91. Epub 2003 Jul 29. Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer. Mundt KA, Birk T, Burch MT. Source Applied Epidemiology, Inc., Amherst, Massachusetts 01002-2424, USA. kmundt@appliedepidemiology.com
- 3) Christiansen Y.K. et al, Risk of selected cancers due to occupational exposure to chlorinated solvents in a case-control study in Montreal. *JOEM*, 55, (2) 2013;198-208;
- 4) Trichloroethylene and Cancer: Epidemiologic Evidence Daniel Wartenberg,¹ Daniel Reyner,¹ and Cheryl Siegel Scott² ¹Environmental and Occupational Health Sciences Institute, UMDNJ-Robert Wood Johnson Medical School, Piscataway, New Jersey USA; ²U.S. Environmental Protection Agency, Washington, DC USA; *Environ Health Perspect* 108(suppl 2):161-176 (2000).
- 5) Contaminated Water Supplies at Camp Lejeune: Assessing Potential Health Effects (2009), national Academies Press
- 6) *Oral Oncol*. 2006 Nov;42(10):957-64. Epub 2006 Aug 21. Smoking cessation and the risk of oesophageal cancer: An overview of published studies. Bosetti C¹, Gallus S, Garavello W, La Vecchia C.
- 7) Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. *Environ Health*. 2014 Feb 19;13(1):10. doi: 10.1186/1476-069X-13-10.
- 8) American Cancer Society.: *Cancer Facts and Figures 2014*. Atlanta, Ga: American Cancer Society, 2014. Available online . Last accessed March 26, 2014.
- 9) Devesa SS, Blot WJ, Fraumeni JF Jr: Changing patterns in the incidence of esophageal and gastric carcinoma in the United States. *Cancer* 83 (10): 2049-53, 1998. [PUBMED Abstract]
- 10) Blot WJ, McLaughlin JK: The changing epidemiology of esophageal cancer. *Semin Oncol* 26(5Suppl15): 2-8, 1999
- 11) *A Quick Guide to Cancer Epidemiology*, Boffetta P, Boccia S, La Vecchia C; Springer 2014
- 12) Ye W, Held M, Lagergren J, et al.: Helicobacter pylori infection and gastric atrophy: risk of adenocarcinoma and squamous-cell carcinoma of the esophagus and adenocarcinoma of the gastric cardia. *J Natl Cancer Inst* 96 (5): 388-96, 2004
- 13) Ward E. Chapters on Bladder, Colorectal, Esophageal, Kidney, Laryngeal, Sino-Nasal, Pancreatic, and Stomach Cancer. In: Levy BS, Wagner GR, Rest KM, Weeks JL (eds). *Preventing Occupational Disease and Injury*, 2nd Ed. Washington DC: APHA, 2005.
- 14) Adami HO, Hunter D, Trichopoulos D (eds). *Textbook of Cancer Epidemiology*, 2nd Edition. New York: Oxford University Press, 2008.
- 15) Siemiatycki J, Richardson L, Boffetta P. Occupation. In: Schottenfeld D, Fraumeni JF. *Cancer Epidemiology and Prevention*, 3rd Ed. New York: Oxford University Press, 2006
- 16) Boice JD Jr. Ionizing Radiation. In: Schottenfeld D, Fraumeni JF. *Cancer Epidemiology and Prevention*, 3rd Ed. New York: Oxford University Press, 2006.

- 17) A Quick Guide to Cancer Epidemiology, Boffetta P, Boccia S, La Vecchie C, Springer 2014
- Hodgson M, van Thiel DH, Goodman-Klein B. Obesity and hepatotoxins as risk factors for fatty liver disease. *Br J Ind Med*. 1991 Oct;48(10):690-5.
- Assy N, Kaita K, Mymin D, Levy C, Rosser B, Minuk G. "Fatty infiltration of liver in hyperlipidemic patients." *Dig Dis Sci*. 2000 Oct;45(10):1929-34.
- Lundqvist G, Flodin U, Axelsson O. A case-control study of fatty liver disease and organic solvent exposure. *Am J Ind Med*. 1999 Feb;35(2):132-6.
- Sirota JC, McFann K, Targher G, Chonchol M, Jalal DI. Association between Nonalcoholic Liver Disease and Chronic Kidney Disease: An Ultrasound Analysis from NHANES 1988-1994. *Am J Nephrol*. 2012;36(5):466-71. doi: 10.1159/000343885. Epub 2012 Nov 2.
- Durazzo M, Belci P, Collo A, Grisoglio E, Bo S. Focus on therapeutic strategies of nonalcoholic Fatty liver disease. *Int J Hepatol*. 2012;2012:464706. doi: 10.1155/2012/464706. Epub 2012 Nov 8.
- Najem GR, Strunck T, Feuerman M. Health effects of a Superfund hazardous chemical waste disposal site. *Am J Prev Med*. 1994 May-Jun;10(3):151-5.
- National Academy of Sciences. Contaminated Water Supplies at Camp Lejeune: Assessing Potential Health Effects. National Research Council, 2009.
1. Yang P, Zhou Y, Chen B, et al. Overweight, obesity and gastric cancer risk: results from a meta-analysis of cohort studies. *Eur J Cancer* 2009; 45:2867.
 2. Raj A, Mayberry JF, Podas T. Occupation and gastric cancer. *Postgrad Med J* 2003; 79:252.
 3. Straif K, Chambless L, Weiland SK, et al. Occupational risk factors for mortality from stomach and lung cancer among rubber workers: an analysis using internal controls and refined exposure assessment. *Int J Epidemiol* 1999; 28:1037.
 4. Jenkins WD, Christian WJ, Mueller G, Robbins KT. Population cancer risks associated with coal mining: a systematic review. *PLoS One* 2013; 8:e71312.
 5. Pang D, Burges DC, Sorahan T. Mortality study of nickel platers with special reference to cancers of the stomach and lung, 1945-93. *Occup Environ Med* 1996; 53:714.
 6. Parkin DM, Boyd L, Walker LC. 16. The fraction of cancer attributable to lifestyle and environmental factors in the UK in 2010(link is external). *BJC* 2011;105 Suppl 2:S77-81
 7. Tramacere I, Negri E, Pelucchi C, et al. A meta-analysis on alcohol drinking and gastric cancer risk(link is external). *Ann Oncol* 2012;23:28-36.
 8. Shimoyama S. Diabetes mellitus carries a risk of gastric cancer: A meta-analysis(link is external). *World J Gastroenterol*. 2013 October 28; 19(40): 6902–6910.
 9. Bove FJ, Ruckart PZ, Maslia M, Larson TC, Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health*. 2014 Feb 19;13(1):10.
 10. Bove et al., Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study, *Environmental Health* 2014, 13:10
 11. P. Boffetta et al., A Quick Guide to Cancer Epidemiology, Springer 2014
 12. Adami HO, Hunter D, Trichopoulos D (eds). *Textbook of Cancer Epidemiology*. New York: Oxford University Press, 2002
 13. Ward E. Chapters on Bladder, Colorectal, Esophageal, Kidney, Laryngeal, Sino-Nasal, Pancreatic, and Stomach Cancer. In: Levy BS, Wagner GR, Rest KM, Weeks JL (eds). *Preventing Occupational Disease and Injury*, 2nd Ed. Washington DC: APHA, 2005.
1. Focal Segmental Glomerulosclerosis. Accessed at: <http://emedicine.medscape.com/article/245915-overview>
 2. Possible Cause of FSGS, Devastating Kidney Disease, Discovered. *Kidney Disease Research Updates* Spring 2012. National Kidney and Urologic Diseases Information Clearinghouse

(NKUDIC), National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK), National Institutes of Health (NIH). Accessed at:

<http://kidney.niddk.nih.gov/about/ResearchUpdates/KidneySpr12/1.aspx>

3. Wei C, El Hindi S, Li J, et al. Circulating urokinase receptor as a cause of focal segmental glomerulosclerosis. *Nature Medicine* 2011; 17; 952-960.

4. Med-Line Plus. End-stage kidney disease. US National Library of Medicine, National Institutes of Health. Accessed at:

<http://www.nlm.nih.gov/medlineplus/ency/article/000500.htm>

5. End Stage Renal Disease (ESRD). American Kidney Fund. Last updated 2/11/2008.

Accessed at:

<http://www.kidneyfund.org/kidney-health/kidney-failure/end-stage-renal-disease.html>

6. Young EW. An improved understanding of the causes of end-stage renal disease. *Semin Nephrol.* 1997 May; 17(3):170-5.

7. U.S. Renal Data System, USRDS 2013 Annual Data Report: Atlas of Chronic Kidney Disease and End-Stage Renal Disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases,

1. Oral Oncol. 2010 Nov;46(11):780-5. doi: 10.1016/j.oraloncology.2010.08.011. Oropharyngeal squamous cell carcinoma: a unique disease on the rise? van Monsjou HS, Balm AJ, van den Brekel MM, Wreesmann VB. SourceDepartment of Head and Neck Surgery and Oncology, Netherlands CancerInstitute, Amsterdam, The Netherlands.

2. *N Engl J Med.* 2007 May 10;356(19):1944-56. Case-control study of human papillomavirus and oropharyngeal cancer. D'Souza G, Kreimer AR, Viscidi R, Pawlita M, Fakhry C, Koch WM, Westra WH, Gillison ML. SourceDepartment of Epidemiology, Johns Hopkins Bloomberg School of Public Health, Baltimore, USA.

3. Hayes R. B., Yin S. N., Dosemeci M., Li G. L., Wacholder S., Chow W. H., Rothman N., Wang Y. Z., Dai T. R., Chao X. J., Jiang Z. L., Ye P. Z., Zhao H. B., Kou Q. R., Zhang W. Y., Meng J. F., Zho J. S., Lin X. F., Ding C. Y., Li C. Y., Zhang Z. N., Li D. G., Travis L. B., Blot W. J., Linet M. S. Mortality amongbenzene-exposed workers in China. *Environ. Health Perspect.*, 104: 1349-1352,1996

4. West S., Hildesheim A., Dosemeci M. Non-viral risk factor for nasopharyngeal carcinoma in The Philippines: results from a case-control study. *Int. J. Cancer*, 55: 1-6, 1993. Medlin

5. Occupational Exposure to Wood, Formaldehyde, and Solvents and Risk of Nasopharyngeal Carcinoma Allan Hildesheim¹, Mustafa Dosemeci, Chang-Chuan Chan, Chien-Jen Chen, Yu-Juen Cheng, Mow-Ming Hsu, I-How Chen², Beth F. Mittl, Brenda Sun, Paul H. Levine³, Jen-Yang Chen⁴, Louise A. Brinton, and Czau-Siung Yang; *Cancer Epidemiol Biomarkers Prev* November 2001 10; 1145

6. Up To Date. Epidemiology and Risk Factors for Head and Neck Cancer. Apr 18, 2014.

7. Wartenberg, D. Trichloroethylene and cancer: epidemiologic evidence. *Environ Health Perspect.* 2000 May; 108(suppl 2): 161-176.

8. Paget-Bailly, S. Occupational exposures to asbestos, polycyclic aromatic hydrocarbons and solvents, and cancers of the oral cavity and pharynx: a quantitative literature review. *Int Arch Occup Environ Health.* 2012 May;85(4):341-351.

9. Vaughan, TL. Work in dry cleaning and the incidence of cancer of the oral cavity, larynx, and oesophagus. *Occup Environ Med.* 1997 September; 54(9):692-695.

10. Mundt, KA. Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer. *Int Arch Occup Environ Health.* 2003 July;76: 473-491.

11. Camp Lejeune; National Research Council; National Academies Press: 2009

12. Mashberg A, Boffetta P, Winkelman R, Garfinkel L, Tobacco smoking, alcohol drinking, and cancer of the oral cavity and oropharynx among U.S. veterans. *Cancer*. 1993 Aug 15;72(4):1369-75.
13. Sivasithamparam J, Visk CA, Cohen EE, King AC. Modifiable risk behaviors in patients with head and neck cancer. Source Department of Psychiatry and Behavioral Neuroscience, University of Chicago, Chicago, Illinois. *Cancer*. 2013 Apr 10. doi: 10.1002/cncr.27993.
14. American Cancer Society, Risk factors for Nasopharyngeal cancer
15. Occupational Cancers, Antilla S, Boffetta P, Springer 2014
16. Textbook of Cancer Epidemiology, Second Edition, Adami HO, Hunter D, Trichoplous D, Oxford University Press 2008
17. A Quick Guide to Cancer Epidemiology, Boffetta p, Boccia S, La Vecchia C, Springer 2014
1. Scales CD, Smith AC, Hanley JM, Saigal CS. Prevalence of kidney stones in the United States. *European Urology*. 2012;62:160–165.
2. National Kidney Foundation
1. Oral Oncol. 2010 Nov;46(11):780-5. doi: 10.1016/j.oraloncology.2010.08.011. Oropharyngeal squamous cell carcinoma: a unique disease on the rise? van Monsjou HS, Balm AJ, van den Brekel MM, Wreesmann VB. Source Department of Head and Neck Surgery and Oncology, Netherlands Cancer Institute, Amsterdam, The Netherlands.
2. N Engl J Med. 2007 May 10;356(19):1944-56. Case-control study of human papillomavirus and oropharyngeal cancer. D'Souza G, Kreimer AR, Viscidi R, Pawlita M, Fakhry C, Koch WM, Westra WH, Gillison ML. Source Department of Epidemiology, Johns Hopkins Bloomberg School of Public Health, Baltimore, USA.
3. Hayes R. B., Yin S. N., Dosemeci M., Li G. L., Wacholder S., Chow W. H., Rothman N., Wang Y. Z., Dai T. R., Chao X. J., Jiang Z. L., Ye P. Z., Zhao H. B., Kou Q. R., Zhang W. Y., Meng J. F., Zho J. S., Lin X. F., Ding C. Y., Li C. Y., Zhang Z. N., Li D. G., Travis L. B., Blot W. J., Linet M. S. Mortality among benzene-exposed workers in China. *Environ. Health Perspect.*, 104: 1349-1352, 1996
4. West S., Hildesheim A., Dosemeci M. Non-viral risk factor for nasopharyngeal carcinoma in The Philippines: results from a case-control study. *Int. J. Cancer*, 55: 1-6, 1993. Medlin
5. Occupational Exposure to Wood, Formaldehyde, and Solvents and Risk of Nasopharyngeal Carcinoma Allan Hildesheim¹, Mustafa Dosemeci, Chang-Chuan Chan, Chien-Jen Chen, Yu-Juen Cheng, Mow-Ming Hsu, I-How Chen², Beth F. Mittl, Brenda Sun, Paul H. Levine³, Jen-Yang Chen⁴, Louise A. Brinton, and Czaou-Siung Yang; *Cancer Epidemiol Biomarkers Prev* November 2001 10; 1145
6. Up To Date. Epidemiology and Risk Factors for Head and Neck Cancer. Apr 18, 2014.
7. Wartenberg, D. Trichloroethylene and cancer: epidemiologic evidence. *Environ Health Perspect.* 2000 May; 108(suppl 2): 161-176.
8. Paget-Bailly, S. Occupational exposures to asbestos, polycyclic aromatic hydrocarbons and solvents, and cancers of the oral cavity and pharynx: a quantitative literature review. *Int Arch Occup Environ Health*. 2012 May;85(4):341-351.
9. Vaughan, TL. Work in dry cleaning and the incidence of cancer of the oral cavity, larynx, and oesophagus. *Occup Environ Med*. 1997 September; 54(9):692-695.
10. Mundt, KA. Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer. *Int Arch Occup Environ Health*. 2003 July;76: 473-491.
11. Camp Lejeune; National Research Council; National Academies Press: 2009
12. Mashberg A, Boffetta P, Winkelman R, Garfinkel L, Tobacco smoking, alcohol drinking, and cancer of the oral cavity and oropharynx among U.S. veterans. *Cancer*. 1993 Aug 15;72(4):1369-75.
13. Sivasithamparam J, Visk CA, Cohen EE, King AC. Modifiable risk behaviors in patients with head and neck cancer. Source Department of Psychiatry and Behavioral Neuroscience, University of Chicago, Chicago, Illinois. *Cancer*. 2013 Apr 10. doi: 10.1002/cncr.27993.
14. American Cancer Society, Risk factors for Nasopharyngeal cancer

15. Occupational Cancers, Antilla S, Boffetta P, Springer 2014
16. Textbook of Cancer Epidemiology, Second Edition, Adami HO, Hunter D, Trichopoulos D, Oxford University Press 2008
17. A Quick Guide to Cancer Epidemiology, Boffetta p, Boccia S, La Vecchia C, Springer 2014
18. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. *Environ Health*. 2014 Feb 19;13(1):10.
1. Blair A, Linos A, Stewart PA, Burmeister LF, Gibson R, Everett G, Schuman L, Cantor KP. Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am J Ind Med*. 1993 Feb;23(2):301-12.
2. Bryan A. Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1,* Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update *J Cancer Epidemiol*. 2012; 2012: 978930.
3. Cohn P, Klotz J, Bove F, Berkowitz M, Fagliano J. Drinking Water Contamination and the Incidence of Leukemia and Non-Hodgkin's Lymphoma. *Environ Health Perspect*. 1994 Jun;102(6-7):556-61
4. Engels EA, Cho ER, Jee SH. Hepatitis B virus infection and risk of non-Hodgkin lymphoma in South Korea: a cohort study. *Lancet Oncol*. 2010 Sep;11(9):827-34. doi: 10.1016/S1470-2045(10)70167-4. Epub 2010 Aug 3.
5. Fritschi L, Benke G, Hughes AM, Krickler A, Vajdic CM, Grulich A, Turner J, Milliken S, Kaldor J, Armstrong BK. Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). *Cancer Causes Control*. 2005 Jun;16(5):599-607
6. Mannetje A, Dryson E, Walls C, McLean D, McKenzie F, Maule M, Cheng S, Cunningham C, Kromhout H, Boffetta P, Blair A, Pearce N. High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. *Occup Environ Med*. 2008 May;65(5):354-63. Epub 2007 Nov 21
7. Merlo DF, Stagi E, Fontana V, Consonni D, Gozza C, Garrone E, Bertazzi PA, Pesatori AC. A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. *Occup Environ Med*. 2010 Sep;67(9):611-9. doi: 10.1136/oem.2009.050377. Epub 2010 Jun 24
8. NAS. Epidemiologic Studies of Solvent-Contaminated Water Supplies," Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
9. Purdue MP, Bakke B, Stewart P, De Roos AJ, Schenk M, Lynch CF, Bernstein L, Morton LM, Cerhan JR, Severson RK, Cozen W, Davis S, Rothman N, Hartge P, Colt JS. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect*. 2011 Feb;119(2):232-8.
10. Rêgo MA, Sousa CS, Kato M, de Carvalho AB, Loomis D, Carvalho FM. Non-Hodgkin's lymphomas and organic solvents. *J Occup Environ Med*. 2002 Sep;44(9):874-81.
11. Seidler A, Möhner M, Berger J, Mester B, Deeg E, Elsner G, Nieters A, Becker N. Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med toxicol*. 2007 Apr 2;2:2.
11. Tatham L, Tolbert P, Kjeldsberg C. Occupational risk factors for subgroups of

non-Hodgkin's lymphoma. *Epidemiology*. 1997 Sep;8(5):551-8.

12. Up-to-Date: Extrahepatic manifestations of hepatitis C virus infection, accessed February 5, 2013
13. Wang R, Zhang Y, Lan Q, Holford TR, Leaderer B, Zahm SH, Boyle P, Dosemeci M, Rothman N, Zhu Y, Qin Q, Zheng T. Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 2009 Jan 15;169(2):176-85. doi: 10.1093/aje/kwn300. Epub 2008 Dec 4
14. Zheng T, Blair A, Zhang Y, Weisenburger DD, Zahm SH. Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. *J Occup Environ Med*. 2002 May;44(5):469-74.
15. Bryan A, Bassig B, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1 Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update. *J Cancer Epidemiol*. 2012; 2012: 978930. Published online 2012 September 12. doi: 10.1155/2012/978930, PMID: PMC3447374
16. Andreas Seidler*1, Matthias Möhner1, Jürgen Berger2, Birte Mester3,4, Evelin Deeg5, Gine Elsner3, Alexandra Nieters5 and Nikolaus Becker5 Solvent exposure and malignant lymphoma: a population-based case-control study in Germany, *Journal of Occupational Medicine and Toxicology* 2007
17. Karami S, Bassig B, Stewart PA, Lee KM, Rothman N, Moore LE, Lan Q. *J Occup Environ Med*. 2013 Aug;70(8):591-9. doi: 10.1136/oemed-2012-101212. Epub 2013 May 30. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis.
18. *Cancer Epidemiol Biomarkers Prev*. 2005 Apr;14(4):925-33. Cigarette smoking and risk of non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (interlymph). Morton LM1, Hartge P, Holford TR, Holly EA, Chiu BC, Vineis P, Stagnaro E, Willett EV, Franceschi S, La Vecchia C, Hughes AM, Cozen W, Davis S, Severson RK, Bernstein L, Mayne ST, Dee FR, Cerhan JR, Zheng T.
19. *Cancer Epidemiol Biomarkers Prev*. 2004 Mar;13(3):431-7. Non-Hodgkin's lymphoma and type of tobacco smoke. Stagnaro E1, Tumino R, Parodi S, Crosignani P, Fontana A, Masala G, Miligi L, Nanni O, Ramazzotti V, Rodella S, Senori Constantini A, Vigano C, Vindigni C, Vineis P.
20. *Cancer Epidemiol*. 2012;2012:978930. Epub 2012 Sep 12. Current understanding of lifestyle and environmental factors and risk of non-hodgkin lymphoma: an epidemiological update. Bassig BA1, Lan Q, Rothman N, Zhang Y, Zheng T.
21. *Leuk Lymphoma*. 2013 Jun;54(6):1221-7. doi: 10.3109/10428194.2012.742523. Epub 2013 Jan 24. Body mass index, height and risk of lymphoid neoplasms in a large United States cohort. Patel AV1, Diver WR, Teras LR, Birmann BM, Gapstur SM.
22. *Int J Cancer*. 2007 Oct 1;121(7):1564-70. Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. Larsson SC1, Wolk A.
23. *Cancer Causes Control*. 2007 Aug;18(6):677-85. Epub 2007 May 7. Obesity and risk of non-Hodgkin lymphoma (United States). Chiu BC1, Soni L, Gapstur SM, Fought AJ, Evens AM, Weisenburger DD.
24. *Int J Cancer*. 2014 May 15. doi: 10.1002/ijc.28971. [Epub ahead of print] Epstein-Barr virus and risk of non-Hodgkin lymphoma in the cancer prevention study-II and a meta-analysis of serologic studies. Teras LR1, Rollison DE, Pawlita M, Michel A, Brozy J, de Sanjose S, Blase JL, Gapstur SM.

25. Gastroenterology. 2013 Nov;145(5):1007-1015.e3. doi: 10.1053/j.gastro.2013.07.035. Epub 2013 Jul 25. Risk of lymphoma in patients with ulcerative colitis treated with thiopurines: a nationwide retrospective cohort study.
26. Occup Environ Med. 2013 Jun;70(6):393-401. Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Vlaanderen J, Straif K, Pukkala E, Kauppinen T, Kyyrönen P, Martinsen JI, Kjaerheim K, Tryggvadottir L, Hansen J, Sparén P, Weiderpass E.
27. Clinical presentation, pathologic features, and diagnosis of primary central nervous system lymphoma; Authors Fred H Hochberg, MD, Tracy Batchelor, MD, MPH, Jay S Loeffler, MD; Up-to-Date, Jan 15, 2014
28. Abla O, Weitzman S, Blay JY, et al. Primary CNS lymphoma in children and adolescents: a descriptive analysis from the International Primary CNS Lymphoma Collaborative Group (IPCG). Clin Cancer Res 2011; 17:346.
29. Occupational Cancers, Anttila, S., Boffetta, P. Springer 2014
30. J Occup Environ Med. 1995 Jul;37(7):797-806. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. Anttila A1, Pukkala E, Sallmén M, Hernberg S, Hemminki K.
31. J Occup Med. 1994 May;36(5):556-62. Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. Axelson O1, Seldén A, Andersson K, Hogstedt C.
32. J Occup Environ Med. 2010 Feb;52(2):169-89. Benzene exposure and non-Hodgkin lymphoma: a meta-analysis of epidemiologic studies. Alexander DD, Wagner ME.
33. Cancer Epidemiol, 34 (2010), pp. 516–522, Occupational exposure to gasoline and the risk of non-Hodgkin lymphoma: a review and meta-analysis of the literature. E.V. Kane, R. Newton
34. Int J Cancer, 122 (2008), pp. 2062–2070 Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph Consortium. E.V. Willett, L.M. Morton, P. Hartge, N. Becker, L. Bernstein, P. Boffetta, et al.
35. Lancet Oncol, 6 (2005), pp. 469–476 Alcohol consumption and risk of non-Hodgkin lymphoma: a pooled analysis. L.M. Morton, T. Zheng, T.R. Holford, E.A. Holly, B.C. Chiu, A.S. Costantini, et al
36. Cancer Epidemiol Biomarkers Prev, 14 (2005), pp. 925–933 Cigarette smoking and risk of non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (interlymph). L.M. Morton, P. Hartge, T.R. Holford, E.A. Holly, B.C. Chiu, P. Vineis, et al.
37. Occup Environ Med, 67 (2010), pp. 341–347, Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case–control study. P. Cocco, A. t’Mannetje, D. Fadda, M. Melis, N. Becker, S. de Sanjose, et al.
1. National Cancer Institute-Skin Cancer Prevention
2. Epidemiologic Studies of Solvent-Contaminated Water Supplies, "Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
3. UpToDate: Epidemiology and risk factors for cutaneous squamous cell carcinoma. Mar 2014
4. UpToDate: Risk factors for the development of melanoma. May, 2014
5. Leonardi-Bee J, Ellison T, Bath-Hextall F. Smoking and the risk of nonmelanoma skin cancer: systematic review and meta-analysis. Arch Dermatol 2012; 148:939.
6. Cancer Epidemiology and Prevention, 3rd Edition
7. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Environ Health. 2014 Feb 19;13(1):10. doi: 10.1186/1476-069X-13-10.
8. Journal of Occupational and Environmental Medicine, LeMasters GK et al. "Cancer Risk Among Firefighters: A Review and Meta-analysis of 32 Studies." J Occup Environ Med 2006;48:1189-1202

9. Occup Environ Med. 2014 Jun;71(6):398-404. doi: 10.1136/oemed-2013-101803. Epub 2014 Feb 6.
6. Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. Pukkala E1, Martinsen JI, Weiderpass E, Kjaerheim K, Lynge E, Tryggvadottir L, Sparén P, Demers PA. Occup Environ Med. 2014 Jun;71(6):398-404. doi: 10.1136/oemed-2013-101803. Epub 2014 Feb 6. Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. Pukkala E1, Martinsen JI, Weiderpass E, Kjaerheim K, Lynge E, Tryggvadottir L, Sparén P, Demers PA.
10. Semin Cutan Med Surg. 2010 Dec;29(4):204-9. doi: 10.1016/j.sder.2010.10.005. Epidemiology of melanoma. Rigel DS.
11. Textbook of Cancer Epidemiology, Second Edition. Adami H O, Hunter D, Trichopoulos D, Oxford University Press 2008
12. Occupational Cancers, Antilla S, Boffetta P, Springer 2014
1. American Cancer Society website; Multiple Myeloma, February 2013
2. Up-to-Date, Rajkumar, S., Clinical features, laboratory manifestations, and diagnosis of multiple myeloma, April 2014
3. National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology: Multiple Myeloma. Version 1.2013. Available at http://www.nccn.org/professionals/physician_gls/pdf/myeloma.pdf. Accessed 01/10/2013.
4. Rajkumar SV, Dispenzieri A. Multiple myeloma and related disorders. In: Abeloff MD, Armitage JO, Niederhuber JE, et al., eds. Abeloff's Clinical Oncology. 4th ed. Philadelphia, PA: Elsevier Churchill-Livingstone; 2008:chap 110.
5. Rajkumar SV. Plasma cell disorders. In: Goldman L, Schafer AI, eds. Goldman's Cecil Medicine. 24th ed. Philadelphia, PA: Elsevier Saunders; 2011: chap 193.
6. Kyle RA, Therneau TM, Rajkumar SV, et al. Incidence of multiple myeloma in Olmsted County, Minnesota: Trend over 6 decades. Cancer 2004; 101:2667.
7. Karami S, Bassig B, Stewart PA, Lee KM, Rothman N, Moore LE, Lan Q., Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. Occup Environ Med. 2013 Aug;70(8):591-9. doi: 10.1136/oemed-2012-101212. Epub 2013 May 30.
8. Kyle RA, Gertz MA, Witzig TE, et al. Review of 1027 patients with newly diagnosed multiple myeloma. Mayo Clin Proc 2003; 78:21.
9. Alexander DD, Mink PJ, Mandel JH, Kelsh MA., A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. Occup Med (Lond). 2006 Oct;56(7):485-93. Epub 2006 Aug 11
10. Vlaanderen J, Straif K, Pukkala E, Kauppinen T, Kyrrönen P, Martinsen JI, Kjaerheim K, Tryggvadottir L, Hansen J, Sparén P, Weiderpass E., Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Occup Environ Med. 2013 Jun;70(6):393-401. doi: 10.1136/oemed-2012-101188. Epub 2013 Feb 27
11. Perrotta C, Kleefeld S, Staines A, Tewari P, De Roos AJ, Baris D, Birmann B, Chiu B, Cozen W, Becker N, Foretova L, Maynadié M, Nieters A, de Sanjosé S, Miligi L, Seniori Costantini A, Purdue M, Spinelli J, Cocco P., Multiple myeloma and occupation: a pooled analysis by the International Multiple Myeloma Consortium. Cancer Epidemiol. 2013
12. Bladé J, Kyle RA. Multiple myeloma in young patients: clinical presentation and treatment approach. Leuk Lymphoma 1998; 30:493.
13. Lynch HT, Sanger WG, Pirruccello S, et al. Familial multiple myeloma: a family study and review of the literature. J Natl Cancer Inst 2001; 93:1479.
14. Perrotta C, Staines A, Codd M, Kleefeld S, Crowley D, T' Mannetje A, Becker N, Brennan P, De Sanjosé S, Foretova L, Maynadié M, Nieters A, Boffetta P, Cocco P, Multiple Myeloma and lifetime occupation: results from the EPILYMPH study. J Occup Med Toxicol. 2012 Dec 14;7(1):25. doi: 10.1186/1745-6673-7-25.

15. Gold LS, Stewart PA, Milliken K, Purdue M, Severson R, Seixas N, Blair A, Hartge P, Davis S, De Roos AJ., The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 2011 Jun;68(6):391-9. doi: 10.1136/oem.2009.054809. Epub 2010 Sep 10.
16. Costantini AS, Benvenuti A, Vineis P, Kriebel D, Tumino R, Ramazzotti V, Rodella S, Stagnaro E, Crosignani P, Amadori D, Mirabelli D, Sommani L, Belletti I, Troschel L, Romeo L, Miceli G, Tozzi GA, Mendico I, Maltoni SA, Miligi L., Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: evidence from the Italian Multicenter Case-control study. *Am J Ind Med.* 2008 Nov;51(11):803-11. doi: 10.1002/ajim.20592.
17. *Cancer Epidemiol Biomarkers Prev.* Author manuscript; available in PMC Dec 12, 2013. Published in final edited form as: *Cancer Epidemiol Biomarkers Prev.* Jul 2007; 16(7): 10.1158/1055-9965.EPI-07-0143. Body mass index, physical activity, and risk of multiple myeloma Brenda M. Birmann,¹ Edward Giovannucci,^{1,2,3} Bernard Rosner,^{1,4} Kenneth C. Anderson,⁵ and Graham A. Colditz¹,
18. *Epidemiology.* Mar 2010; 21(2): 272–273. Anthropometric Characteristics and Multiple Myeloma Risk among Women in the California Teachers Study Yani Lu,¹ Jane Sullivan-Halley,¹ Katherine D. Henderson,¹ Huiyan Ma,¹ Pamela L. Horn-Ross,² Peggy Reynolds,² Rosemary Cress,³ and Leslie Bernstein⁴
19. *Epidemiology.* 2005 Sep;16(5):691-4., Anthropometric characteristics and risk of multiple myeloma. Blair CK¹, Cerhan JR, Folsom AR, Ross JA.
20. Body mass index and risk of multiple myeloma: A meta-analysis of prospective studies, Wallin, Alice et al. *European Journal of Cancer* , Volume 47 , Issue 11 , 1606 - 1615
21. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. *Environ Health.* 2014 Feb 19;13(1):10. doi: 10.1186/1476-069X-13-10.
22. *Occupational Cancers*, Anttila, S., Boffetta, P., Springer 2014
23. *A Quick Guide to Cancer Epidemiology*, Boffetta, P., Boccia S., La Vecchia, C., Springer 2014
24. *Environmental and Occupational Causes of Cancer New Evidence, 2005–2007*, Clapp RW et al.; *Rev Environ Health.* 2008; 23(1): 1–37.
25. Perrotta et al.: Multiple Myeloma and lifetime occupation: results from the EPILYMPH study. *Journal of Occupational Medicine and Toxicology* 2012 7:25.
1. Blair A, Linos A, Stewart PA, Burmeister LF, Gibson R, Everett G, Schuman L, Cantor KP. Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am J Ind Med.* 1993 Feb;23(2):301-12.
2. Bryan A. Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1 , * Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update *J Cancer Epidemiol.* 2012; 2012: 978930.
3. Cohn P, Klotz J, Bove F, Berkowitz M, Fagliano J. Drinking Water Contamination and the Incidence of Leukemia and Non-Hodgkin's Lymphoma. *Environ Health Perspect.* 1994 Jun;102(6-7):556-61
4. Engels EA, Cho ER, Jee SH. Hepatitis B virus infection and risk of non-Hodgkin lymphoma in South Korea: a cohort study. *Lancet Oncol.* 2010 Sep;11(9):827-34. doi: 10.1016/S1470-2045(10)70167-4. Epub 2010 Aug 3.
5. Fritschi L, Benke G, Hughes AM, Kricker A, Vajdic CM, Grulich A, Turner J, Milliken S, Kaldor J, Armstrong BK. Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). *Cancer Causes Control.* 2005 Jun;16(5):599-607
6. Mannetje A, Dryson E, Walls C, McLean D, McKenzie F, Maule M, Cheng S,

- Cunningham C, Kromhout H, Boffetta P, Blair A, Pearce N. High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. *Occup Environ Med*. 2008 May;65(5):354-63. Epub 2007 Nov 21
7. Merlo DF, Stagi E, Fontana V, Consonni D, Gozza C, Garrone E, Bertazzi PA, Pesatori AC. A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. *Occup Environ Med*. 2010 Sep;67(9):611-9. doi: 10.1136/oem.2009.050377. Epub 2010 Jun 24
 8. NAS. Epidemiologic Studies of Solvent-Contaminated Water Supplies, "Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
 9. Purdue MP, Bakke B, Stewart P, De Roos AJ, Schenk M, Lynch CF, Bernstein L, Morton LM, Cerhan JR, Severson RK, Cozen W, Davis S, Rothman N, Hartge P, Colt JS. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect*. 2011 Feb;119(2):232-8.
 10. Rêgo MA, Sousa CS, Kato M, de Carvalho AB, Loomis D, Carvalho FM. Non-Hodgkin's lymphomas and organic solvents. *J Occup Environ Med*. 2002 Sep;44(9):874-81.
 11. Seidler A, Möhner M, Berger J, Mester B, Deeg E, Elsner G, Nieters A, Becker N. Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med toxicol*. 2007 Apr 2;2:2.
 11. Tatham L, Tolbert P, Kjeldsberg C. Occupational risk factors for subgroups of non-Hodgkin's lymphoma. *Epidemiology*. 1997 Sep;8(5):551-8.
 12. Up-to-Date: Extrahepatic manifestations of hepatitis C virus infection, accessed February 5, 2013
 13. Wang R, Zhang Y, Lan Q, Holford TR, Leaderer B, Zahm SH, Boyle P, Dosemeci M, Rothman N, Zhu Y, Qin Q, Zheng T. Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 2009 Jan 15;169(2):176-85. doi: 10.1093/aje/kwn300. Epub 2008 Dec 4
 14. Zheng T, Blair A, Zhang Y, Weisenburger DD, Zahm SH. Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. *J Occup Environ Med*. 2002 May;44(5):469-74.
 15. Bryan A, Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1 Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update, *J Cancer Epidemiol*. 2012; 2012: 978930. Published online 2012 September 12. doi: 10.1155/2012/978930, PMID: PMC3447374
 16. Andreas Seidler*1, Matthias Möhner1, Jürgen Berger2, Birte Mester3,4, Evelin Deeg5, Gine Elsner3, Alexandra Nieters5 and Nikolaus Becker5 Solvent exposure and malignant lymphoma: a population-based case-control study in Germany, *Journal of Occupational Medicine and Toxicology* 2007
 17. Karami S, Bassig B, Stewart PA, Lee KM, Rothman N, Moore LE, Lan Q. *Occup Environ Med*. 2013 Aug;70(8):591-9. doi: 10.1136/oemed-2012-101212. Epub 2013 May 30. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis.
 18. *Cancer Epidemiol Biomarkers Prev*. 2005 Apr;14(4):925-33. Cigarette smoking and risk of non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (interlymph). Morton LM1, Hartge P, Holford TR, Holly EA, Chiu BC, Vineis P, Stagnaro E, Willett EV,

- Franceschi S, La Vecchia C, Hughes AM, Cozen W, Davis S, Severson RK, Bernstein L, Mayne ST, Dee FR, Cerhan JR, Zheng T.
19. Cancer Epidemiol Biomarkers Prev. 2004 Mar;13(3):431-7. Non-Hodgkin's lymphoma and type of tobacco smoke. Stagnaro E1, Tumino R, Parodi S, Crosignani P, Fontana A, Masala G, Miligi L, Nanni O, Ramazzotti V, Rodella S, Senoiri Constantini A, Vigano C, Vindigni C, Vineis P.
 20. Cancer Epidemiol. 2012;2012:978930. Epub 2012 Sep 12. Current understanding of lifestyle and environmental factors and risk of non-hodgkin lymphoma: an epidemiological update. Bassig BA1, Lan Q, Rothman N, Zhang Y, Zheng
 21. Leuk Lymphoma. 2013 Jun;54(6):1221-7. doi: 10.3109/10428194.2012.742523. Epub 2013 Jan 24. Body mass index, height and risk of lymphoid neoplasms in a large United States cohort. Patel AV1, Diver WR, Teras LR, Birmann BM, Gapstur SM.
 22. Int J Cancer. 2007 Oct 1;121(7):1564-70. Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. Larsson SC1, Wolk A.
 23. Cancer Causes Control. 2007 Aug;18(6):677-85. Epub 2007 May 7. Obesity and risk of non-Hodgkin lymphoma (United States). Chiu BC1, Soni L, Gapstur SM, Fought AJ, Evens AM, Weisenburger DD.
 24. Int J Cancer. 2014 May 15. doi: 10.1002/ijc.28971. [Epub ahead of print] Epstein-Barr virus and risk of non-Hodgkin lymphoma in the cancer prevention study-II and a meta-analysis of serologic studies. Teras LR1, Rollison DE, Pawlita M, Michel A, Brozy J, de Sanjose S, Blase JL, Gapstur SM.
 25. Gastroenterology. 2013 Nov;145(5):1007-1015.e3. doi: 10.1053/j.gastro.2013.07.035. Epub 2013 Jul 25. Risk of lymphoma in patients with ulcerative colitis treated with thiopurines: a nationwide retrospective cohort study.
 26. Occup Environ Med. 2013 Jun;70(6):393-401. Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Vlaanderen J, Straif K, Pukkala E, Kauppinen T, Kyyrönen P, Martinsen JI, Kjaerheim K, Tryggvadóttir L, Hansen J, Sparén P, Weiderpass E.
 27. Clinical presentation, pathologic features, and diagnosis of primary central nervous system lymphoma; Authors Fred H Hochberg, MD, Tracy Batchelor, MD, MPH, Jay S Loeffler, MD; Up-to-Date, Jan 15, 2014
 28. Ablu O, Weitzman S, Blay JY, et al. Primary CNS lymphoma in children and adolescents: a descriptive analysis from the International Primary CNS Lymphoma Collaborative Group (IPCG). Clin Cancer Res 2011; 17:346.
 29. Occupational Cancers, Anttila, S., Boffetta, P. Springer 2014
 30. J Occup Environ Med. 1995 Jul;37(7):797-806. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. Anttila A1, Pukkala E, Sallmén M, Hernberg S, Hemminki K.
 31. J Occup Med. 1994 May;36(5):556-62. Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. Axelson O1, Seldén A, Andersson K, Hogstedt C.
 32. J Occup Environ Med. 2010 Feb;52(2):169-89. Benzene exposure and non-Hodgkin lymphoma: a meta-analysis of epidemiologic studies. Alexander DD, Wagner ME.
 33. Alexander J. Ambinder, Pareen J. Shenoy, Neha Malik, Alison Maggioncalda, Loretta J. Nastoupil, and Christopher R. Flowers, "Exploring Risk Factors for Follicular Lymphoma," Advances in Hematology, vol. 2012, Article ID 626035, 13 pages, 2012
 34. Expert Opin Med Diagn. 2012 Jul 1;6(4):323-333. Epub 2012 May 8. Risk Factors of Follicular Lymphoma. Ma S.
 35. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Environ Health. 2014 Feb 19;13(1):10.

36. Alexander J. Ambinder, Pareen J. Shenoy, Neha Malik, Alison Maggioncalda, Loretta J. Nastoupil, and Christopher R. Flowers, Exploring Risk Factors for Follicular Lymphoma, *Advances in Hematology* Volume 2012

37. Ma S. Risk Factors of Follicular Lymphoma. Expert opinion on medical diagnostics. 2012;6(4):323-333. doi:10.1517/17530059.2012.686996

1. Blair A, Linos A, Stewart PA, Burmeister LF, Gibson R, Everett G, Schuman L, Cantor KP. Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am J Ind Med.* 1993 Feb;23(2):301-12.

2. Bryan A. Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1, * Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update *J Cancer Epidemiol.* 2012; 2012: 978930.

3. Cohn P, Klotz J, Bove F, Berkowitz M, Fagliano J. Drinking Water Contamination and the Incidence of Leukemia and Non-Hodgkin's Lymphoma. *Environ Health Perspect.* 1994 Jun;102(6-7):556-61

4. Engels EA, Cho ER, Jee SH. Hepatitis B virus infection and risk of non-Hodgkin lymphoma in South Korea: a cohort study. *Lancet Oncol.* 2010 Sep;11(9):827-34. doi: 10.1016/S1470-2045(10)70167-4. Epub 2010 Aug 3.

5. Fritschi L, Benke G, Hughes AM, Krickler A, Vajdic CM, Grulich A, Turner J, Milliken S, Kaldor J, Armstrong BK. Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). *Cancer Causes Control.* 2005 Jun;16(5):599-607

6. Mannetje A, Dryson E, Walls C, McLean D, McKenzie F, Maule M, Cheng S, Cunningham C, Kromhout H, Boffetta P, Blair A, Pearce N. High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. *Occup Environ Med.* 2008 May;65(5):354-63. Epub 2007 Nov 21

7. Merlo DF, Stagi E, Fontana V, Consonni D, Gozza C, Garrone E, Bertazzi PA, Pesatori AC. A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. *Occup Environ Med.* 2010 Sep;67(9):611-9. doi: 10.1136/oem.2009.050377. Epub 2010 Jun 24

8. NAS. Epidemiologic Studies of Solvent-Contaminated Water Supplies," Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.

9. Purdue MP, Bakke B, Stewart P, De Roos AJ, Schenk M, Lynch CF, Bernstein L, Morton LM, Cerhan JR, Severson RK, Cozen W, Davis S, Rothman N, Hartge P, Colt JS. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect.* 2011 Feb;119(2):232-8.

10. Rêgo MA, Sousa CS, Kato M, de Carvalho AB, Loomis D, Carvalho FM. Non-Hodgkin's lymphomas and organic solvents. *J Occup Environ Med.* 2002 Sep;44(9):874-81.

11. Seidler A, Möhner M, Berger J, Mester B, Deeg E, Elsner G, Nieters A, Becker N. Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med toxicol.* 2007 Apr 2;2:2.

11. Tatham L, Tolbert P, Kjeldsberg C. Occupational risk factors for subgroups of non-Hodgkin's lymphoma. *Epidemiology.* 1997 Sep;8(5):551-8.

12. Up-to-Date: Extrahepatic manifestations of hepatitis C virus infection,

accessed February 5, 2013

13. Wang R, Zhang Y, Lan Q, Holford TR, Leaderer B, Zahm SH, Boyle P, Dosemeci M, Rothman N, Zhu Y, Qin Q, Zheng T. Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol.* 2009 Jan 15;169(2):176-85. doi: 10.1093/aje/kwn300. Epub 2008 Dec 4
14. Zheng T, Blair A, Zhang Y, Weisenburger DD, Zahm SH. Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. *J Occup Environ Med.* 2002 May;44(5):469-74.
15. Bryan A, Bassig B, Qing Lan, Nathaniel Rothman, Yawei Zhang, and Tongzhang Zheng. Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update. *J Cancer Epidemiol.* 2012; 2012: 978930. Published online 2012 September 12. doi: 10.1155/2012/978930, PMID: PMC3447374
16. Andreas Seidler*1, Matthias Möhner1, Jürgen Berger2, Birte Mester3,4, Evelin Deeg5, Gine Elsner3, Alexandra Nieters5 and Nikolaus Becker5 Solvent exposure and malignant lymphoma: a population-based case-control study in Germany, *Journal of Occupational Medicine and Toxicology* 2007
17. Karami S, Bassig B, Stewart PA, Lee KM, Rothman N, Moore LE, Lan Q. *Occup Environ Med.* 2013 Aug;70(8):591-9. doi: 10.1136/oemed-2012-101212. Epub 2013 May 30. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis.
18. *Cancer Epidemiol Biomarkers Prev.* 2005 Apr;14(4):925-33. Cigarette smoking and risk of non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (interlymph). Morton LM1, Hartge P, Holford TR, Holly EA, Chiu BC, Vineis P, Stagnaro E, Willett EV, Franceschi S, La Vecchia C, Hughes AM, Cozen W, Davis S, Severson RK, Bernstein L, Mayne ST, Dee FR, Cerhan JR, Zheng T.
19. *Cancer Epidemiol Biomarkers Prev.* 2004 Mar;13(3):431-7. Non-Hodgkin's lymphoma and type of tobacco smoke. Stagnaro E1, Tumino R, Parodi S, Crosignani P, Fontana A, Masala G, Miligi L, Nanni O, Ramazzotti V, Rodella S, Senoiri Constantini A, Vigano C, Vindigni C, Vineis P.
20. *Cancer Epidemiol.* 2012;2012:978930. Epub 2012 Sep 12. Current understanding of lifestyle and environmental factors and risk of non-hodgkin lymphoma: an epidemiological update. Bassig BA1, Lan Q, Rothman N, Zhang Y, Zheng T.
21. *Leuk Lymphoma.* 2013 Jun;54(6):1221-7. doi: 10.3109/10428194.2012.742523. Epub 2013 Jan 24. Body mass index, height and risk of lymphoid neoplasms in a large United States cohort. Patel AV1, Diver WR, Teras LR, Birmann BM, Gapstur SM.
22. *Int J Cancer.* 2007 Oct 1;121(7):1564-70. Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. Larsson SC1, Wolk A.
23. *Cancer Causes Control.* 2007 Aug;18(6):677-85. Epub 2007 May 7. Obesity and risk of non-Hodgkin lymphoma (United States). Chiu BC1, Soni L, Gapstur SM, Fought AJ, Evens AM, Weisenburger DD.
24. *Int J Cancer.* 2014 May 15. doi: 10.1002/ijc.28971. [Epub ahead of print] Epstein-Barr virus and risk of non-Hodgkin lymphoma in the cancer prevention study-II and a meta-analysis of serologic studies. Teras LR1, Rollison DE, Pawlita M, Michel A, Brozy J, de Sanjose S, Blase JL, Gapstur SM.
25. *Gastroenterology.* 2013 Nov;145(5):1007-1015.e3. doi: 10.1053/j.gastro.2013.07.035. Epub 2013 Jul 25. Risk of lymphoma in patients with ulcerative colitis treated with thiopurines: a nationwide retrospective cohort study.

26. Occup Environ Med. 2013 Jun;70(6):393-401. Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Vlaanderen J, Straif K, Pukkala E, Kauppinen T, Kyyrönen P, Martinsen JI, Kjaerheim K, Tryggvadottir L, Hansen J, Sparén P, Weiderpass E.
27. Clinical presentation, pathologic features, and diagnosis of primary central nervous system lymphoma; Authors Fred H Hochberg, MD, Tracy Batchelor, MD, MPH, Jay S Loeffler, MD; Up-to-Date, Jan 15, 2014
28. Abia O, Weitzman S, Blay JY, et al. Primary CNS lymphoma in children and adolescents: a descriptive analysis from the International Primary CNS Lymphoma Collaborative Group (IPCG). Clin Cancer Res 2011; 17:346.
29. Occupational Cancers, Anttila, S., Boffetta, P. Springer 2014
30. J Occup Environ Med. 1995 Jul;37(7):797-806. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. Anttila A1, Pukkala E, Sallmén M, Hernberg S, Hemminki K.
31. J Occup Med. 1994 May;36(5):556-62. Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. Axelson O1, Seldén A, Andersson K, Hogstedt C.
32. J Occup Environ Med. 2010 Feb;52(2):169-89. Benzene exposure and non-Hodgkin lymphoma: a meta-analysis of epidemiologic studies. Alexander DD, Wagner ME.
33. Cancer Causes & Control October 2006, Volume 17, Issue 8, pp 1103-1106, Obesity and the risk of Hodgkin lymphoma (United Kingdom) , Eleanor V. Willett, Eve Roman
34. Eur J Cancer. 2011 Nov;47(16):2422-30. doi: 10.1016/j.ejca.2011.06.029. Epub 2011 Jul 4. Body mass index and risk of non-Hodgkin's and Hodgkin's lymphoma: a meta-analysis of prospective studies. Larsson SC1, Wolk A.
35. J Clin Oncol. 2011;29(29):3900-6.. Meta-analysis of the association between cigarette smoking and incidence of Hodgkin's Lymphoma. Castillo JJ, Dalia S, Shum H
36. Eur J Cancer Prev 2013;22(2):131-50. Cigarette smoking and risk of lymphoma in adults: a comprehensive meta-analysis on Hodgkin and non-Hodgkin disease, 1.Sergentanis TN, Kanavidis P, Michelakos T, et al
1. Blair A, Linos A, Stewart PA, Burmeister LF, Gibson R, Everett G, Schuman L, Cantor KP. Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. Am J Ind Med. 1993 Feb;23(2):301-12.
2. Bryan A. Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1 , * Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update J Cancer Epidemiol. 2012; 2012: 978930.
3. Cohn P, Klotz J, Bove F, Berkowitz M, Fagliano J. Drinking Water Contamination and the Incidence of Leukemia and Non-Hodgkin's Lymphoma. Environ Health Perspect. 1994 Jun;102(6-7):556-61
4. Engels EA, Cho ER, Jee SH. Hepatitis B virus infection and risk of non-Hodgkin lymphoma in South Korea: a cohort study. Lancet Oncol. 2010 Sep;11(9):827-34. doi: 10.1016/S1470-2045(10)70167-4. Epub 2010 Aug 3.
5. Fritschi L, Benke G, Hughes AM, Krickler A, Vajdic CM, Grulich A, Turner J, Milliken S, Kaldor J, Armstrong BK. Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). Cancer Causes Control. 2005 Jun;16(5):599-607
6. Mannetje A, Dryson E, Walls C, McLean D, McKenzie F, Maule M, Cheng S, Cunningham C, Kromhout H, Boffetta P, Blair A, Pearce N. High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. Occup Environ Med.

2008 May;65(5):354-63. Epub 2007 Nov 21

7. Merlo DF, Stagi E, Fontana V, Consonni D, Gozza C, Garrone E, Bertazzi PA, Pesatori AC. A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. *Occup Environ Med*. 2010 Sep;67(9):611-9. doi: 10.1136/oem.2009.050377. Epub 2010 Jun 24
8. NAS. Epidemiologic Studies of Solvent-Contaminated Water Supplies," Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
9. Purdue MP, Bakke B, Stewart P, De Roos AJ, Schenk M, Lynch CF, Bernstein L, Morton LM, Cerhan JR, Severson RK, Cozen W, Davis S, Rothman N, Hartge P, Colt JS. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect*. 2011 Feb;119(2):232-8.
10. Rêgo MA, Sousa CS, Kato M, de Carvalho AB, Loomis D, Carvalho FM. Non-Hodgkin's lymphomas and organic solvents. *J Occup Environ Med*. 2002 Sep;44(9):874-81.
11. Seidler A, Möhner M, Berger J, Mester B, Deeg E, Elsner G, Nieters A, Becker N. Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med toxicol*. 2007 Apr 2;2:2.
11. Tatham L, Tolbert P, Kjeldsberg C. Occupational risk factors for subgroups of non-Hodgkin's lymphoma. *Epidemiology*. 1997 Sep;8(5):551-8.
12. Up-to-Date: Extrahepatic manifestations of hepatitis C virus infection, accessed February 5, 2013
13. Wang R, Zhang Y, Lan Q, Holford TR, Leaderer B, Zahm SH, Boyle P, Dosemeci M, Rothman N, Zhu Y, Qin Q, Zheng T. Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 2009 Jan 15;169(2):176-85. doi: 10.1093/aje/kwn300. Epub 2008 Dec 4
14. Zheng T, Blair A, Zhang Y, Weisenburger DD, Zahm SH. Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. *J Occup Environ Med*. 2002 May;44(5):469-74.
15. Bryan A, Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1 Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update, *J Cancer Epidemiol*. 2012; 2012: 978930. Published online 2012 September 12. doi: 10.1155/2012/978930, PMID: PMC3447374
16. Andreas Seidler*1, Matthias Möhner1, Jürgen Berger2, Birte Mester3,4, Evelin Deeg5, Gine Elsner3, Alexandra Nieters5 and Nikolaus Becker5 Solvent exposure and malignant lymphoma: a population-based case-control study in Germany, *Journal of Occupational Medicine and Toxicology* 2007
17. Karami S, Bassig B, Stewart PA, Lee KM, Rothman N, Moore LE, Lan Q. *Occup Environ Med*. 2013 Aug;70(8):591-9. doi: 10.1136/oemed-2012-101212. Epub 2013 May 30. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis.
18. *Cancer Epidemiol Biomarkers Prev*. 2005 Apr;14(4):925-33. Cigarette smoking and risk of non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (interlymph). Morton LM1, Hartge P, Holford TR, Holly EA, Chiu BC, Vineis P, Stagnaro E, Willett EV, Franceschi S, La Vecchia C, Hughes AM, Cozen W, Davis S, Severson RK, Bernstein L, Mayne ST, Dee FR, Cerhan

JR, Zheng T.

19. Cancer Epidemiol Biomarkers Prev. 2004 Mar;13(3):431-7. Non-Hodgkin's lymphoma and type of tobacco smoke. Stagnaro E1, Tumino R, Parodi S, Crosignani P, Fontana A, Masala G, Miligi L, Nanni O, Ramazzotti V, Rodella S, Senoiri Constantini A, Vigano C, Vindigni C, Vineis P.
20. Cancer Epidemiol. 2012;2012:978930. Epub 2012 Sep 12. Current understanding of lifestyle and environmental factors and risk of non-hodgkin lymphoma: an epidemiological update. Bassig BA1, Lan Q, Rothman N, Zhang Y, Zheng
21. Leuk Lymphoma. 2013 Jun;54(6):1221-7. doi: 10.3109/10428194.2012.742523. Epub 2013 Jan 24. Body mass index, height and risk of lymphoid neoplasms in a large United States cohort. Patel AV1, Diver WR, Teras LR, Birmann BM, Gapstur SM.
22. Int J Cancer. 2007 Oct 1;121(7):1564-70. Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. Larsson SC1, Wolk A.
23. Cancer Causes Control. 2007 Aug;18(6):677-85. Epub 2007 May 7. Obesity and risk of non-Hodgkin lymphoma (United States). Chiu BC1, Soni L, Gapstur SM, Fought AJ, Evens AM, Weisenburger DD.
24. Int J Cancer. 2014 May 15. doi: 10.1002/ijc.28971. [Epub ahead of print] Epstein-Barr virus and risk of non-Hodgkin lymphoma in the cancer prevention study-II and a meta-analysis of serologic studies. Teras LR1, Rollison DE, Pawlita M, Michel A, Brozy J, de Sanjose S, Blase JL, Gapstur SM.
25. Gastroenterology. 2013 Nov;145(5):1007-1015.e3. doi: 10.1053/j.gastro.2013.07.035. Epub 2013 Jul 25. Risk of lymphoma in patients with ulcerative colitis treated with thiopurines: a nationwide retrospective cohort study.
26. Occup Environ Med. 2013 Jun;70(6):393-401. Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Vlaanderen J, Straif K, Pukkala E, Kauppinen T, Kyyrönen P, Martinsen JI, Kjaerheim K, Tryggvadóttir L, Hansen J, Sparén P, Weiderpass E.
27. Clinical presentation, pathologic features, and diagnosis of primary central nervous system lymphoma; Authors Fred H Hochberg, MD, Tracy Batchelor, MD, MPH, Jay S Loeffler, MD; Up-to-Date, Jan 15, 2014
28. Ablu O, Weitzman S, Blay JY, et al. Primary CNS lymphoma in children and adolescents: a descriptive analysis from the International Primary CNS Lymphoma Collaborative Group (IPCG). Clin Cancer Res 2011; 17:346.
29. Occupational Cancers, Anttila, S., Boffetta, P. Springer 2014
30. J Occup Environ Med. 1995 Jul;37(7):797-806. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. Anttila A1, Pukkala E, Sallmén M, Hernberg S, Hemminki K.
31. J Occup Med. 1994 May;36(5):556-62. Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. Axelson O1, Seldén A, Andersson K, Hogstedt C.
32. J Occup Environ Med. 2010 Feb;52(2):169-89. Benzene exposure and non-Hodgkin lymphoma: a meta-analysis of epidemiologic studies. Alexander DD, Wagner ME.
1. Blair A, Linos A, Stewart PA, Burmeister LF, Gibson R, Everett G, Schuman L, Cantor KP. Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. Am J Ind Med. 1993 Feb;23(2):301-12.
2. Bryan A. Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1, * Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update J Cancer Epidemiol. 2012; 2012: 978930.
3. Cohn P, Klotz J, Bove F, Berkowitz M, Fagliano J. Drinking Water Contamination and the Incidence of Leukemia and Non-Hodgkin's Lymphoma. Environ Health

Perspect. 1994 Jun;102(6-7):556-61

4. Engels EA, Cho ER, Jee SH. Hepatitis B virus infection and risk of non-Hodgkin lymphoma in South Korea: a cohort study. *Lancet Oncol.* 2010 Sep;11(9):827-34. doi: 10.1016/S1470-2045(10)70167-4. Epub 2010 Aug 3.
5. Fritschi L, Benke G, Hughes AM, Krickler A, Vajdic CM, Grulich A, Turner J, Milliken S, Kaldor J, Armstrong BK. Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). *Cancer Causes Control.* 2005 Jun;16(5):599-607
6. Mannetje A, Dryson E, Walls C, McLean D, McKenzie F, Maule M, Cheng S, Cunningham C, Kromhout H, Boffetta P, Blair A, Pearce N. High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. *Occup Environ Med.* 2008 May;65(5):354-63. Epub 2007 Nov 21
7. Merlo DF, Stagi E, Fontana V, Consonni D, Gozza C, Garrone E, Bertazzi PA, Pesatori AC. A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. *Occup Environ Med.* 2010 Sep;67(9):611-9. doi: 10.1136/oem.2009.050377. Epub 2010 Jun 24
8. NAS. *Epidemiologic Studies of Solvent-Contaminated Water Supplies, "Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects,* National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
9. Purdue MP, Bakke B, Stewart P, De Roos AJ, Schenk M, Lynch CF, Bernstein L, Morton LM, Cerhan JR, Severson RK, Cozen W, Davis S, Rothman N, Hartge P, Colt JS. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect.* 2011 Feb;119(2):232-8.
10. Rêgo MA, Sousa CS, Kato M, de Carvalho AB, Loomis D, Carvalho FM. Non-Hodgkin's lymphomas and organic solvents. *J Occup Environ Med.* 2002 Sep;44(9):874-81.
11. Seidler A, Möhner M, Berger J, Mester B, Deeg E, Elsner G, Nieters A, Becker N. Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med toxicol.* 2007 Apr 2;2:2.
11. Tatham L, Tolbert P, Kjeldsberg C. Occupational risk factors for subgroups of non-Hodgkin's lymphoma. *Epidemiology.* 1997 Sep;8(5):551-8.
12. Up-to-Date: Extrahepatic manifestations of hepatitis C virus infection, accessed February 5, 2013
13. Wang R, Zhang Y, Lan Q, Holford TR, Leaderer B, Zahm SH, Boyle P, Dosemeci M, Rothman N, Zhu Y, Qin Q, Zheng T. Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol.* 2009 Jan 15;169(2):176-85. doi: 10.1093/aje/kwn300. Epub 2008 Dec 4
14. Zheng T, Blair A, Zhang Y, Weisenburger DD, Zahm SH. Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. *J Occup Environ Med.* 2002 May;44(5):469-74.
15. Bryan A, Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1 Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update, *J Cancer Epidemiol.* 2012; 2012: 978930. Published online 2012 September 12. doi: 10.1155/2012/978930, PMID: PMC3447374
16. Andreas Seidler*1, Matthias Möhner1, Jürgen Berger2, Birte Mester3,4, Evelin Deeg5, Gine Elsner3, Alexandra Nieters5 and Nikolaus Becker5 Solvent exposure and

malignant lymphoma: a population-based case-control study in Germany, *Journal of Occupational Medicine and Toxicology* 2007

17. Karami S, Bassig B, Stewart PA, Lee KM, Rothman N, Moore LE, Lan Q. *Occup Environ Med.* 2013 Aug;70(8):591-9. doi: 10.1136/oemed-2012-101212. Epub 2013 May 30. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis.
18. *Cancer Epidemiol Biomarkers Prev.* 2005 Apr;14(4):925-33. Cigarette smoking and risk of non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (interlymph). Morton LM1, Hartge P, Holford TR, Holly EA, Chiu BC, Vineis P, Stagnaro E, Willett EV, Franceschi S, La Vecchia C, Hughes AM, Cozen W, Davis S, Severson RK, Bernstein L, Mayne ST, Dee FR, Cerhan JR, Zheng T.
19. *Cancer Epidemiol Biomarkers Prev.* 2004 Mar;13(3):431-7. Non-Hodgkin's lymphoma and type of tobacco smoke. Stagnaro E1, Tumino R, Parodi S, Crosignani P, Fontana A, Masala G, Miligi L, Nanni O, Ramazzotti V, Rodella S, Senoiri Constantini A, Vigano C, Vindigni C, Vineis P.
20. *Cancer Epidemiol.* 2012;2012:978930. Epub 2012 Sep 12. Current understanding of lifestyle and environmental factors and risk of non-hodgkin lymphoma: an epidemiological update. Bassig BA1, Lan Q, Rothman N, Zhang Y, Zheng
21. *Leuk Lymphoma.* 2013 Jun;54(6):1221-7. doi: 10.3109/10428194.2012.742523. Epub 2013 Jan 24. Body mass index, height and risk of lymphoid neoplasms in a large United States cohort. Patel AV1, Diver WR, Teras LR, Birmann BM, Gapstur SM.
22. *Int J Cancer.* 2007 Oct 1;121(7):1564-70. Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. Larsson SC1, Wolk A.
23. *Cancer Causes Control.* 2007 Aug;18(6):677-85. Epub 2007 May 7. Obesity and risk of non-Hodgkin lymphoma (United States). Chiu BC1, Soni L, Gapstur SM, Fought AJ, Evens AM, Weisenburger DD.
24. *Int J Cancer.* 2014 May 15. doi: 10.1002/ijc.28971. [Epub ahead of print] Epstein-Barr virus and risk of non-Hodgkin lymphoma in the cancer prevention study-II and a meta-analysis of serologic studies. Teras LR1, Rollison DE, Pawlita M, Michel A, Brozy J, de Sanjose S, Blase JL, Gapstur SM.
25. *Gastroenterology.* 2013 Nov;145(5):1007-1015.e3. doi: 10.1053/j.gastro.2013.07.035. Epub 2013 Jul 25. Risk of lymphoma in patients with ulcerative colitis treated with thiopurines: a nationwide retrospective cohort study.
26. *Occup Environ Med.* 2013 Jun;70(6):393-401. Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Vlaanderen J, Straif K, Pukkala E, Kauppinen T, Kyyrönen P, Martinsen JI, Kjaerheim K, Tryggvadóttir L, Hansen J, Sparén P, Weiderpass E.
27. Clinical presentation, pathologic features, and diagnosis of primary central nervous system lymphoma; Authors Fred H Hochberg, MD, Tracy Batchelor, MD, MPH, Jay S Loeffler, MD; Up-to-Date, Jan 15, 2014
28. Abila O, Weitzman S, Blay JY, et al. Primary CNS lymphoma in children and adolescents: a descriptive analysis from the International Primary CNS Lymphoma Collaborative Group (IPCG). *Clin Cancer Res* 2011; 17:346.
29. *Occupational Cancers*, Anttila, S., Boffetta, P. Springer 2014
30. *J Occup Environ Med.* 1995 Jul;37(7):797-806. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. Anttila A1, Pukkala E, Sallmén M, Hernberg S, Hemminki K.
31. *J Occup Med.* 1994 May;36(5):556-62. Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. Axelson O1, Seldén A, Andersson K, Hogstedt C.

32. J Occup Environ Med. 2010 Feb;52(2):169-89. Benzene exposure and non-Hodgkin lymphoma: a meta-analysis of epidemiologic studies. Alexander DD, Wagner ME.
33. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Environ Health. 2014 Feb 19;13(1):10.
1. Bosetti C, Lucenteforte E, Silverman DT, et al. Cigarette smoking and pancreatic cancer: an analysis from the International Pancreatic Cancer Case-Control Consortium (Panc4)(link is external). Ann Oncol 2012;23(7):1880-8
2. Bertuccio P, La Vecchia C, Silverman DT, et al. Cigar and pipe smoking, smokeless tobacco use and pancreatic cancer: an analysis from the International Pancreatic Cancer Case-Control Consortium (PanC4) (link is external). Ann Oncol. 2011;22(6):1420-6
3. Bevan R, Young C, Holmes P, et al. Occupational cancer in Britain. Gastrointestinal cancers: liver, oesophagus, pancreas and stomach(link is external). Br J Cancer 2012;107 Suppl 1:S33-40.
4. Epidemiologic Studies of Solvent-Contaminated Water Supplies," –Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
5. Bove FJ, Ruckart PZ, Maslia M, Larson TC, Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Environ Health. 2014 Feb 19;13(1):10.
6. P. Boffetta et al., A Quick Guide to Cancer Epidemiology, Springer 2014
7. Bove et al., Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study, Environmental Health 2014, 13:10
8. Adami, H O et al., Text Book of Cancer Epidemiology Second Edition, Oxford University Press 2008
9. Occupational Cancers, S. Anttila, P. Boffetta. Springer 2014
10. Schottenfeld D, Fraumeni JF (eds). Cancer Epidemiology and Prevention, 3rd Ed. New York: Oxford University Press, 2006.
1. Delongchamps NB, Singh A, Haas GP. The role of prevalence in the diagnosis of prostate cancer. Cancer Control 2006; 13:158.
2. Surveillance, Epidemiology, and End Results Program Turning Cancer Data into Discovery. (n.d.). Retrieved April 1, 2015, from <http://seer.cancer.gov/statfacts/html/prost.html>
3. Leitzmann MF, Rohrmann S., Risk factors for the onset of prostatic cancer: age, location, and behavioral correlates. Clin Epidemiol. 2012; 4:1-11.
4. Powell, Isaac. The Precise Role of Ethnicity and Family History on Aggressive Prostate Cancer: A Review Analysis. Arch Esp Urol. 2011 October; 64(8): 711–719
5. M. Mandal: Genetics of prostate cancer: Role of family history. www.medschool.Lsuhsu.edu/geneticscenter/louisiana/article_prostatecancer2_p.htm
6. Allott EH1, Masko EM, Freedland. Obesity and prostate cancer: weighing the evidence SJ.Eur Urol. 2013 May; 63(5):800-9.
7. Boffetta P et al. A quick Guide to Cancer Epidemiology. Springer2014
8. Huncharek, Michael, et. al. Smoking as a Risk Factor for Prostate Cancer: A Meta-Analysis of 24 Prospective Cohort Studies. Am J Public Health. 2010 April; 100(4):693–701.
9. Carter BD, Abnet CC, Feskanich D, et al. Smoking and Mortality—Beyond Established Causes. N Engl J Med. Feb 12 2015;372:631-640
10. Skeldon SC1, Goldenberg, SL1. Urological complications of illicit drug use. Nat Rev Urol. 2014 Mar; 11(3):169-77.
11. Epidemiologic Studies of Solvent-Contaminated Water Supplies," Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.

12. Paulu C, Aschengrau A, Ozonoff D. Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect.* 1999 Apr;107(4):265-71
13. Morgan, J., & Cassady, R. (n.d.). Community Cancer Assessment in Response to Long-Time Exposure to Perchlorate and Trichloroethylene in Drinking Water. *Journal of Occupational and Environmental Medicine* 44.2 (2002) 616-21.
14. Toxicological Profile for Trichloroethylene, (Draft), ATSDR October, 2014
15. Bove FJ1, Ruckart PZ, Maslia M, Larson TC. Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health.* 2014 Aug 13; 13:68.
16. Bove FJ, Ruckart PZ, Maslia M, et.al. Evaluation of mortality among Marines and Navy personnel exposed to contaminated drinking water at USMC base camp Lejeune: a retrospective cohort study. *Environmental Health* 2014, 13:10.
17. Radican L, Blair A, Stewart P, Wartenberg D. Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: extended follow-up. *J Occup Environ Med.* 2008 Nov;50(11):1306-19
18. Krishnadasan A. Nested case-control study of occupational chemical exposures and prostate cancer in aerospace and radiation workers. *Am J Ind Med - 01-MAY-2007; 50(5): 383-90*
19. Lipworth, L. Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med.* 2011 Sep;53(9):992-1007
20. Hansen J, et al., Risk of Cancer Among Workers Exposed to Trichloroethylene: Analysis of Three Nordic Cohort Studies, *JNCI J Natl Cancer Inst* (2013) 105 (12): 869-877.
21. Christensen KY, Vizcaya D, Richardson H, Lavoué J, Aronson K, Siemiatycki: Risk of selected cancers due to occupational exposure to chlorinated solvents in a case-control study in Montreal. *J Occup Environ Med.* 2013 Feb; 55(2):198-208.
22. Esposito K, Chiodini P, Capuano A, et al. Effect of metabolic syndrome and its components on prostate cancer risk: meta-analysis. *J Endocrinol Invest.* 2013;36(2):132-9
1. National Cancer Institute: PDQ® Renal Cell Cancer Treatment. Bethesda, MD: National Cancer Institute. Date last modified 05/12/2015. Available at: <http://www.cancer.gov/types/kidney/patient/kidney-treatment-pdq>. Accessed 05/26/2015.
2. Occupational Cancers, S. Anttila, P. Boffetta. Springer 2014
3. A Quick Guide to Cancer Epidemiology, P. Boffetta et al, Springer 2014
4. Renal cell carcinoma in relation to cigarette smoking: meta-analysis of 24 studies. Hunt JD, van der Hel OL, McMillan GP, et al. *Int J Cancer* 2005; 114:101-8
5. Cigarette smoking and renal cell carcinoma risk among black and white Americans: effect modification by hypertension and obesity, Michele L. Cote et al., *Cancer Epidemiol Biomarkers Prev.* 2012 May ; 21(5): 770–779
6. Risk factors for renal cell carcinoma in the VITAL study. Macleod LC, Hotaling JM, Wright JL, Davenport MT, Gore JL, Harper J, White E. *J Urol.* 2013 Nov; 190(5):1657-61.
7. Epidemiology and risk factors for kidney cancer. Wong-Ho Chow, Senior Investigator,* Linda M. Dong, postdoctoral fellow, and Susan S. Devesa, contractor and former Senior Investigator. *Nat Rev Urol.* 2010 May; 7(5): 245–257.
8. Smoking, environmental tobacco smoke, and risk of renal cell cancer: a population-based case-control study, Theis RP, Dolwick Grieb SM, Burr D, Siddiqui T, Asal NR, *BMC Cancer.* 2008; 8:387
9. Environmental and modifiable risk factors in renal cell carcinoma. Nevai N and Wood CG. *Urologic Oncology: Seminars and Original Investigations* 30 (2012) 220–224
10. A case control study of factors affecting the development of renal cell cancer. Goodman, M.T., Morgenstern, H., and Wynder, E, .L., *Amer. J. Epidemiol.*, 124,926-941 (1986).

11. Metabolic risk score and cancer risk: pooled analysis of seven cohorts, Tanja Stocks et al., *International Journal of Epidemiology*, 2015, 1–11.
12. Body mass index and risk of renal cell cancer: A dose-response meta-analysis of published cohort studies. Wang F, Xu Y., *Int J Cancer* 2014
13. HYPERTENSION AND RISK OF RENAL CELL CARCINOMA AMONG WHITE AND BLACK AMERICANS. Colt, J., *Epidemiology*. 2011 November ; 22(6): 797–804
14. CARING (Cancer Risk and Insulin analogues): The Association of Diabetes Mellitus and Cancer Risk with Focus on Possible Determinants- a Systematic Review and a Meta-Analysis. Starup-Linde J, Karlstad O, Eriksen SA, et al. *Curr Drug Saf* 2013.
15. Diabetes mellitus and incidence and mortality of kidney cancer: a meta-analysis. Bao C, Yang X, Xu W, et al. *J Diabetes Complications* 2013;27(4):357-64.]
16. The risk of kidney cancer in patients with kidney stones: a systematic review and meta-analysis. Cheungpasitporn W1, Thongprayoon C2, O'Corragain OA2, Edmonds PJ2, Ungprasert P2, Kittanamongkolchai W2, Erickson SB2QJM. 2014 Sep 9.
17. Hunt JD, van der Hel OL, McMillan GP, et al. Renal cell carcinoma in relation to cigarette smoking: meta-analysis of 24 studies(link is external). *Int J Cancer* 2005; 114:101-8.
18. Cancers of the kidney and urinary tract in patients on dialysis for end-stage renal disease: analysis of data from the United States, Europe, and Australia and New Zealand. Stewart JH, Buccianti G, Agodoa L, et al. *J Am Soc Nephrol* 2003;14:197-207
19. Bosniak Category IIF and III Cystic Renal Lesions: Outcomes and Associations Smith, A. *RSNA Radiology*.. January 2012. 262 (1).
20. Family history and risk of renal cell carcinoma: results from a case-control study and systematic meta-analysis. Clague J, Lin J, Cassidy A, et al. *Cancer Epidemiol Biomarkers Prev* 2009;18:801-7.
21. TOXICOLOGICAL PROFILE FORTRICHOROETHYLENE-DRAFT, Agency for Toxic Substances and Disease Registry, October 2014.
22. Epidemiologic Studies of Solvent-Contaminated Water Supplies," Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
23. Cancer risk among workers at Danish companies using trichloroethylene: a cohort study. Raaschou-Nielsen O, Hansen J, McLaughlin JK, Kolstad H, Christensen JM, Tarone RE, Olsen JH. *Am J Epidemiol*. 2003 Dec 15;158(12):1182-92.
24. Cancer mortality among aircraft manufacturing workers: an extended follow-up. Lipworth L., *J Occup Environ Med*. 2011 Sep; 53(9):992-1007
25. Occupational trichloroethylene exposure and kidney cancer risk: a meta-analysis. Karami S, Lan Q, Rothman N, et al. *Occup Environ Med*. 2012; 69(12):858-67.
26. Risk of selected cancers due to occupational exposure to chlorinated solvents in a case-control study in Montreal. Christensen KY, Vizcaya D, Richardson H, Lavoué J, Aronson K, Siemiatycki J., *J Occup Environ Med*. 2013 Feb;55(2):198-208.
27. Risk of cancer among workers exposed to trichloroethylene: analysis of three Nordic cohort studies. Hansen J1, Sallmén M, Seldén AI, Anttila A, Pukkala E, Andersson K, Bryngelsson IL, Raaschou-Nielsen O, Olsen JH, McLaughlin JK. , *J Natl Cancer Inst*. 2013 Jun 19; 105(12):869-77.
28. *Cancer Epidemiology and Prevention*, 3rd Ed. Schottenfeld D, Fraumeni JF (eds). New York: Oxford University Press, 2006
29. Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Vlaanderen J, Straif K, Pukkala E, Kauppinen T, Kyyrönen P, Martinsen JI, Kjaerheim K, Tryggvadottir L, Hansen J, Sparén P, Weiderpass E., *Occup Environ Med*. 2013 Jun;70(6):393-401.

30. Agency for Toxic Substances and Disease Registry 1994, 1999; Burg and Gist 1999; Burg et al. 1995; Davis et al. 2005
31. Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study, Bove et. al. Environmental Health 2014, 13:10
32. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Environ Health. 2014 Feb 19; 13(1):10.

1. Simple and complex renal cysts in adults, UpToDate, Bennett, W et al; Jan 23, 2014.
2. Clayman RV, Surya V, Miller RP, et al. Pursuit of the renal mass. Is ultrasound enough? Am J Med 1984; 77:218.
3. Ravine D, Gibson RN, Donlan J, Sheffield LJ. An ultrasound renal cyst prevalence survey: specificity data for inherited renal cystic diseases. Am J Kidney Dis 1993; 22:803.
4. Slywotzky CM, Bosniak MA. Localized cystic disease of the kidney. AJR Am J Roentgenol 2001; 176:843.
5. Caglioti A, Esposito C, Fuiano G, et al. Prevalence of symptoms in patients with simple renal cysts. BMJ 1993; 306:430.
6. Carrim ZI, Murchison JT. The prevalence of simple renal and hepatic cysts detected by spiral computed tomography. Clin Radiol 2003; 58:626.
7. Terada N, Ichioka K, Matsuta Y, et al. The natural history of simple renal cysts. J Urol 2002; 167:21.
8. Terada N, Arai Y, Kinukawa N, Terai A. The 10-year natural history of simple renal cysts. Urology 2008; 71:7.
9. Rule AD, Sasiwimonphan K, Lieske JC, et al. Characteristics of renal cystic and solid lesions based on contrast-enhanced computed tomography of potential kidney donors. Am J Kidney Dis 2012; 59:611.
10. The simple renal cyst, Anna-Maria Nahm, Eberhard Ritz Nephrol. Dial. Transplant. (2000) 15 (10): 1702-1704. doi: 10.1093/ndt/15.10.1702

1. National Cancer Institute-Skin Cancer Prevention
2. Epidemiologic Studies of Solvent-Contaminated Water Supplies, "Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
3. UpToDate: Epidemiology and risk factors for cutaneous squamous cell carcinoma. Mar 2014
4. UpToDate: Risk factors for the development of melanoma. May, 2014
5. Leonardi-Bee J, Ellison T, Bath-Hextall F. Smoking and the risk of nonmelanoma skin cancer: systematic review and meta-analysis. Arch Dermatol 2012; 148:939.
6. Cancer Epidemiology and Prevention, 3rd Edition
7. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Environ Health. 2014 Feb 19;13(1):10. doi: 10.1186/1476-069X-13-10.
8. Journal of Occupational and Environmental Medicine, LeMasters GK et al. "Cancer Risk Among Firefighters: A Review and Meta-analysis of 32 Studies." J Occup Environ Med 2006;48:1189-1202
9. Occup Environ Med. 2014 Jun;71(6):398-404. doi: 10.1136/oemed-2013-101803. Epub 2014 Feb 6.
6. Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. Pukkala E1, Martinsen JI, Weiderpass E, Kjaerheim K, Lynge E, Tryggvadottir L, Sparén P, Demers PA. Occup Environ Med. 2014 Jun;71(6):398-404. doi: 10.1136/oemed-2013-101803. Epub 2014 Feb 6. Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. Pukkala E1, Martinsen JI, Weiderpass E, Kjaerheim K, Lynge E, Tryggvadottir L, Sparén P, Demers PA.

10. Semin Cutan Med Surg. 2010 Dec;29(4):204-9. doi: 10.1016/j.sder.2010.10.005. Epidemiology of melanoma. Rigel DS.
11. Textbook of Cancer Epidemiology, Second Edition. Adami H O, Hunter D, Trichopolous D, Oxford University Press 2008
12. Occupational Cancers, Antilla S, Boffetta P, Springer 2014
1. American Cancer Society: Cancer Facts and Figures 2014. Atlanta, Ga: American Cancer Society, 2014. Available online . Last accessed May 21, 2014.
2. Ries LAG, Melbert D, Krapcho M, et al.: SEER Cancer Statistics Review, 1975-2005. Bethesda, Md: National Cancer Institute, 2007. Also available online. Last accessed April 04, 2014.
3. Krege S, Beyer J, Souchon R, et al.: European consensus conference on diagnosis and treatment of germ cell cancer: a report of the second meeting of the European Germ Cell Cancer Consensus group (EGCCCG): part I. Eur Urol 53 (3): 478-96, 2008. [PUBMED Abstract]
4. Groll RJ, Warde P, Jewett MA: A comprehensive systematic review of testicular germ cell tumor surveillance. Crit Rev Oncol Hematol 64 (3): 182-97, 2007. [PUBMED Abstract]
5. Neill M, Warde P, Fleshner N: Management of low-stage testicular seminoma. Urol Clin North Am 34 (2): 127-36; abstract vii-viii, 2007. [PUBMED Abstract]
6. Tandstad T, Dahl O, Cohn-Cedermark G, et al.: Risk-adapted treatment in clinical stage I nonseminomatous germ cell testicular cancer: the SWENOTECA management program. J Clin Oncol 27 (13): 2122-8, 2009. [PUBMED Abstract]
7. Holzik MF, Rapley EA, Hoekstra HJ, et al.: Genetic predisposition to testicular germ-cell tumours. Lancet Oncol 5 (6): 363-71, 2004. [PUBMED Abstract]
8. Pettersson A, Richiardi L, Nordenskjold A, et al.: Age at surgery for undescended testis and risk of testicular cancer. N Engl J Med 356 (18): 1835-41, 2007. [PUBMED Abstract]
9. American Cancer Society, testicular Cancer reviewed 02/11/2014
10. McGlynn KA, Trabert B. Adolescent and adult risk factors for testicular cancer. Nat Rev Urol 2012;9(6):339-49.
1. Schottenfeld D, Fraumeni JF (eds). Cancer Epidemiology and Prevention, 3rd Ed. New York: Oxford University Press, 2006.
2. Adami HO. Textbook of Cancer Epidemiology 2nd edition. Oxford University Press, 2008
3. Wong, E. Y., R. Ray, D. L. Gao, K. J. Wernli, W. Li, E. D. Fitzgibbons, Z. Feng, D. B. Thomas, and H. Checkoway. "Reproductive History, Occupational Exposures, and Thyroid Cancer Risk among Women Textile Workers in Shanghai, China." International Archives of Occupational and Environmental Health 79.3 (2006): 251-58.
4. Lope, Virginia, Beatriz Pérez-Gómez, Nuria Aragonés, Gonzalo López-Abente, Per Gustavsson, Nils Plato, Agustín Silva-Mato, and Marina Pollán. "Occupational Exposure to Chemicals and Risk of Thyroid Cancer in Sweden." International Archives of Occupational and Environmental Health 82.2 (2009): 267-74.
5. Wingren, Gun B., and Olav Axelson. "Occupational and Environmental Determinants for Benign Thyroid Disease and Follicular Thyroid Cancer." International Journal of Occupational and Environmental Health 3.2 (1997): 89-94.
6. Morgan, J., & Cassady, R. (n.d.). Community Cancer Assessment in Response to Long-Time Exposure to Perchlorate and Trichloroethylene in Drinking Water. Journal of Occupational and Environmental Medicine 44.2 (2002) 616-21.
7. Epidemiologic Studies of Solvent-Contaminated Water Supplies, Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009

8. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Evaluation of Mortality among Marines and Navy Personnel Exposed to Contaminated Drinking Water at USMC base Camp Lejeune: a Retrospective Cohort Study. *Environ Health*. 2014 Feb 19; 13(1):10.
1. Blair A, Linos A, Stewart PA, Burmeister LF, Gibson R, Everett G, Schuman L, Cantor KP. Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am J Ind Med*. 1993 Feb;23(2):301-12.
2. Bryan A, Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1, * Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update *J Cancer Epidemiol*. 2012; 2012: 978930.
3. Cohn P, Klotz J, Bove F, Berkowitz M, Fagliano J. Drinking Water Contamination and the Incidence of Leukemia and Non-Hodgkin's Lymphoma. *Environ Health Perspect*. 1994 Jun;102(6-7):556-61
4. Engels EA, Cho ER, Jee SH. Hepatitis B virus infection and risk of non-Hodgkin lymphoma in South Korea: a cohort study. *Lancet Oncol*. 2010 Sep;11(9):827-34. doi: 10.1016/S1470-2045(10)70167-4. Epub 2010 Aug 3.
5. Fritschi L, Benke G, Hughes AM, Kricker A, Vajdic CM, Grulich A, Turner J, Milliken S, Kaldor J, Armstrong BK. Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). *Cancer Causes Control*. 2005 Jun;16(5):599-607
6. Mannetje A, Dryson E, Walls C, McLean D, McKenzie F, Maule M, Cheng S, Cunningham C, Kromhout H, Boffetta P, Blair A, Pearce N. High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. *Occup Environ Med*. 2008 May;65(5):354-63. Epub 2007 Nov 21
7. Merlo DF, Stagi E, Fontana V, Consonni D, Gozza C, Garrone E, Bertazzi PA, Pesatori AC. A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. *Occup Environ Med*. 2010 Sep;67(9):611-9. doi: 10.1136/oem.2009.050377. Epub 2010 Jun 24
8. NAS. Epidemiologic Studies of Solvent-Contaminated Water Supplies, "Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
9. Purdue MP, Bakke B, Stewart P, De Roos AJ, Schenk M, Lynch CF, Bernstein L, Morton LM, Cerhan JR, Severson RK, Cozen W, Davis S, Rothman N, Hartge P, Colt JS. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect*. 2011 Feb;119(2):232-8.
10. Rêgo MA, Sousa CS, Kato M, de Carvalho AB, Loomis D, Carvalho FM. Non-Hodgkin's lymphomas and organic solvents. *J Occup Environ Med*. 2002 Sep;44(9):874-81.
11. Seidler A, Möhner M, Berger J, Mester B, Deeg E, Elsner G, Nieters A, Becker N. Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med toxicol*. 2007 Apr 2;2:2.
11. Tatham L, Tolbert P, Kjeldsberg C. Occupational risk factors for subgroups of non-Hodgkin's lymphoma. *Epidemiology*. 1997 Sep;8(5):551-8.
12. Up-to-Date: Extrahepatic manifestations of hepatitis C virus infection, accessed February 5, 2013
13. Wang R, Zhang Y, Lan Q, Holford TR, Leaderer B, Zahm SH, Boyle P, Dosemeci M

- Rothman N, Zhu Y, Qin Q, Zheng T. Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 2009 Jan 15;169(2):176-85. doi: 10.1093/aje/kwn300. Epub 2008 Dec 4
14. Zheng T, Blair A, Zhang Y, Weisenburger DD, Zahm SH. Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. *J Occup Environ Med*. 2002 May;44(5):469-74.
 15. Bryan A. Bassig, 1 Qing Lan, 2 Nathaniel Rothman, 2 Yawei Zhang, 1 and Tongzhang Zheng 1 Current Understanding of Lifestyle and Environmental Factors and Risk of Non-Hodgkin Lymphoma: An Epidemiological Update. *J Cancer Epidemiol*. 2012; 2012: 978930. Published online 2012 September 12. doi: 10.1155/2012/978930, PMCID: PMC3447374
 16. Andreas Seidler*1, Matthias Möhner1, Jürgen Berger2, Birte Mester3,4, Evelin Deeg5, Gine Elsner3, Alexandra Nieters5 and Nikolaus Becker5 Solvent exposure and malignant lymphoma: a population-based case-control study in Germany, *Journal of Occupational Medicine and Toxicology* 2007
 17. Karami S, Bassig B, Stewart PA, Lee KM, Rothman N, Moore LE, Lan Q. *J Occup Environ Med*. 2013 Aug;70(8):591-9. doi: 10.1136/oemed-2012-101212. Epub 2013 May 30. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis.
 18. *Cancer Epidemiol Biomarkers Prev*. 2005 Apr;14(4):925-33. Cigarette smoking and risk of non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (interlymph). Morton LM1, Hartge P, Holford TR, Holly EA, Chiu BC, Vineis P, Stagnaro E, Willett EV, Franceschi S, La Vecchia C, Hughes AM, Cozen W, Davis S, Severson RK, Bernstein L, Mayne ST, Dee FR, Cerhan JR, Zheng T.
 19. *Cancer Epidemiol Biomarkers Prev*. 2004 Mar;13(3):431-7. Non-Hodgkin's lymphoma and type of tobacco smoke. Stagnaro E1, Tumino R, Parodi S, Crosignani P, Fontana A, Masala G, Miligi L, Nanni O, Ramazzotti V, Rodella S, Senoiri Constantini A, Vigano C, Vindigni C, Vineis P.
 20. *Cancer Epidemiol*. 2012;2012:978930. Epub 2012 Sep 12. Current understanding of lifestyle and environmental factors and risk of non-hodgkin lymphoma: an epidemiological update. Bassig BA1, Lan Q, Rothman N, Zhang Y, Zheng
 21. *Leuk Lymphoma*. 2013 Jun;54(6):1221-7. doi: 10.3109/10428194.2012.742523. Epub 2013 Jan 24. Body mass index, height and risk of lymphoid neoplasms in a large United States cohort. Patel AV1, Diver WR, Teras LR, Birmann BM, Gapstur SM.
 22. *Int J Cancer*. 2007 Oct 1;121(7):1564-70. Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. Larsson SC1, Wolk A.
 23. *Cancer Causes Control*. 2007 Aug;18(6):677-85. Epub 2007 May 7. Obesity and risk of non-Hodgkin lymphoma (United States). Chiu BC1, Soni L, Gapstur SM, Fought AJ, Evens AM, Weisenburger DD.
 24. *Int J Cancer*. 2014 May 15. doi: 10.1002/ijc.28971. [Epub ahead of print] Epstein-Barr virus and risk of non-Hodgkin lymphoma in the cancer prevention study-II and a meta-analysis of serologic studies. Teras LR1, Rollison DE, Pawlita M, Michel A, Brozy J, de Sanjose S, Blase JL, Gapstur SM.
 25. *Gastroenterology*. 2013 Nov;145(5):1007-1015.e3. doi: 10.1053/j.gastro.2013.07.035. Epub 2013 Jul 25. Risk of lymphoma in patients with ulcerative colitis treated with thiopurines: a nationwide retrospective cohort study.
1. National Cancer Institute, SEER Stat Fact Sheets: Lung and Bronchus Cancer, updated 5/12/2015. Accessed at <http://seer.cancer.gov/statfacts/html/lungb.html>
 2. Lung Cancer (non-small cell), American Cancer Society, updated 2/8/2016. Accessed at

<http://www.cancer.org/cancer/lungcancer-non-smallcell/detailedguide/non-small-cell-lung-cancer-key-statistics>.

3. Cancer Fact Sheet No 297, updated Feb 2015, World Health Organization Media centre, updated Feb 2015. Accessed at <http://www.who.int/mediacentre/factsheets/fs297/en/> .
4. Non-Small Cell Lung Cancer PDQ, National Cancer Institute, updated 5/12/2015. Accessed at <http://www.cancer.gov/types/lung/patient/non-small-cell-lung-treatment-pdq#section>
5. Alberg AJ1, Brock MV, Ford JG, Samet JM, Spivack SD. Epidemiology of lung cancer: Diagnosis and management of lung cancer, 3rd ed: American College of Chest Physicians evidence-based clinical practice guidelines. *Chest*. 2013 May;143(5 Suppl)
6. Samet, J., Avila-Tang, E., Boffetta, P., Hannan, L., Olivo-Marston, S., Thun, M., & Rudin, C. (n.d.). Lung Cancer In Never Smokers: Clinical Epidemiology And Environmental Risk Factors. *Clinical Cancer Research*. 2009 Sept 15; 15(18):5626-5645.
7. What Are the Risk Factors for Lung Cancer? (2014, May 6). Retrieved April 24, 2015, from http://www.cdc.gov/cancer/lung/basic_info/risk_factors.htm
8. (n.d.). Retrieved April 24, 2015, from <http://www.atsdr.cdc.gov/toxprofiles/tp19.pdf>
9. *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 2004. Tobacco Smoke and Involuntary Smoking. IARC Monogr. 83. Lyon, Fr.: IARC
10. Boffetta, P., & Boccia, S. (n.d.). *A Quick Guide to Cancer Epidemiology*, Spring 2014.
11. Hrubec, Z., & McLaughlin, J. K. (1997). Former cigarette smoking and mortality among US veterans: a 26-year follow-up, 1954–1980. Changes in cigarette-related disease risks and their implication for prevention and control. Bethesda, MD: US Government Printing Office, 501.
12. Richard Taylor, Farid Najafi, and Annette Dobson. Meta-analysis of studies of passive smoking and lung cancer: effects of study type and continent *Int. J. Epidemiol.* (2007) 36 (5): 1048-1059
13. Kim CH, et. al. Exposure to secondhand tobacco smoke and lung cancer by histological type: a pooled analysis of the International Lung Cancer Consortium (ILCCO). *Int J Cancer*. 2014;135(8):1918.
14. Molina, J., Yang, P., Cassivi, S., Schild, S., & Adjei, A. (n.d.). Non-Small Cell Lung Cancer: Epidemiology, Risk Factors, Treatment, And Survivorship. *Mayo Clinic Proceedings*. 2008;83(5):584-594.
15. WU, T., Tashkin, D. P., Djahed, B., & Rose, J. E. Pulmonary Hazards of Smoking Marijuana as Compared with Tobacco. *New England Journal of Medicine*. 1988 Feb 11;318(6):347-51
16. Moir, D., Rickert, W. S., Levasseur, G., Larose, Y., Maertens, R., White, P., & Desjardins, S. (2008). A Comparison of Mainstream and Sidestream Marijuana and Tobacco Cigarette Smoke Produced under Two Machine Smoking Conditions. *Chemical Research in Toxicology*. 2008 Feb; 21(2):494-502.
17. Cassidy, A., et al. Cancer diagnosis in first-degree relatives and non-small cell lung cancer risk: Results from a multi-centre case–control study in Europe. *European Journal of Cancer*. Volume 45, Issue 17, November 2009, Pages 3047–3053
18. Cote, Michele. Increased risk of lung cancer in individuals with a family history of the disease: A pooled analysis from the International Lung Cancer Consortium. *European Journal of Cancer*. 2012: 48(13), 1957-1968
19. Camp Lejeune, North Carolina report, ATSDR, accessed 1/13/2016 <http://www.atsdr.cdc.gov/sites/lejeune/background.html>
20. Toxicological Profile for Vinyl Chloride, Agency for Toxic Substances and Disease Registry, accessed January 2016. <http://www.atsdr.cdc.gov/ToxProfiles/tp.asp?id=282&tid=51>
21. Toxicological Profile for Benzene, Agency for Toxic Substances and Disease Registry, accessed January 2016. <http://www.atsdr.cdc.gov/substances/toxsubstance.asp?toxid=14>
22. Toxicological Profile for Tetrachloroethylene, Agency for Toxic Substances and Disease Registry, accessed January 2016. <http://www.atsdr.cdc.gov/substances/toxsubstance.asp?toxid=48>
23. TOXICOLOGICAL PROFILE FOR TRICHLOROETHYLENE, Agency for Toxic Substances and Disease Registry, Accessed Jan 2016. <http://www.atsdr.cdc.gov/substances/toxsubstance.asp?toxid=30>

24. Epidemiologic Studies of Solvent-Contaminated Water Supplies," –Contaminated Water Supplies at Camp LeJeune: assessing Potential Health Effects, National Research Council of the National Academies. The National Academies Press, Washington, D.C. 2009.
25. Carreón T1, Hein MJ, Hanley KW, Viet SM, Ruder AM. (2104). Coronary artery disease and cancer mortality in a cohort of workers exposed to vinyl chloride, carbon disulfide, rotating shift work, and o-toluidine at a chemical manufacturing plant. *Am J Ind Med.* 2014 Apr;57(4):398-411
26. Paulu C, Aschengrau A, Ozonoff D. (1999). Tetrachloroethylene-contaminated drinking water in Massachusetts and the risk of colon-rectum, lung, and other cancers. *Environ Health Perspect* 107(4):265-71
27. Morgan, J. W., & Cassady, R. E. (2002). Community Cancer Assessment in Response to Long-Time Exposure to Perchlorate and Trichloroethylene in Drinking Water. *Journal of Occupational and Environmental Medicine.* 2002 Jul;44(7):616-21
28. Bove FJ1, Ruckart PZ, Maslia M, Larson TC. Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health.* 2014 Aug 13; 13:68.
29. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health.* 2014 Feb 19;13(1):10.
30. Vizcava D, Christensen KY, Lavoue J, Siemiatycki J. Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occupational Environmental Med.* 2013 Feb; 70(2): 81-85
31. Bahr, D. E et al. Occupational exposure to trichloroethylene and cancer risk for workers at the Paducah Gaseous Diffusion Plant. *International Journal of Occupational Medicine and Environmental Health.* 2011 Mar;24(1):67-77.
32. Seldén, A. I., & Jr, G. A. Cancer morbidity in Swedish dry-cleaners and laundry workers: historically prospective cohort study. *International Archives of Occupational and Environmental Health.* 2011 Apr;84(4):435-43
33. Francesca Mattei et al. Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med* 2014 71: 681-689, July 11, 2014